

SEXA Unified Field Framework: Recursive Admissibility, Computational Correspondence, and Hardware-Verified Recursive Architecture

Presented at the 7th International Conference on VLSI & Embedded Systems (VLSIE 2026)

Melbourne, Australia — August 15–16, 2026

Author: Jered McClain

Affiliations

- SEXA Institute of Technology
- SEXA Mathematical Sciences Pacific LLC
- Any Known Object: Advanced Aerospace & Terraforming LLC

Supporting publications

- Journal of Advances in Mathematics (JAM)
- DOI: 10.24297/jam.v25i.9880
- DOI: 10.24297/jam.v25i.9887
- DOI: 10.24297/jam.v25i.9896

Peer reviews

- FirstPeerReview.com
- SecondPeerReview.com
- ThirdPeerReview.com
- FourthPeerReview.com

SLIDE 1 — TITLE SLIDE

Hardware-Verifiable Recursive Computational Architecture Derived from the SEXA Unified Field Framework

1. Introduce yourself and your affiliations.

I'm Jered McClain, presenting the SEXA framework and its progression from mathematical formulation toward computational and engineering realization. This presentation brings together

the research program represented by SEXA Institute of Technology, SEXA Mathematical Sciences Pacific, and Any Known Object.

2. Explain that this work connects mathematics, computation, and engineering.

The central objective is to carry one recursive mathematical architecture across theory, computation, and implementation rather than treating them as separate problems. The conference paper asks whether the same admissibility rules can survive that entire transition.

3. State that the framework is based upon recursive admissibility.

In this framework, a configuration is not accepted merely because it can be written mathematically; it must survive a defined sequence of admissibility conditions. Recursive application is therefore used as a gate for determining which structures remain inside the system.

4. Explain the transition from theoretical formulation to implementation.

The presentation begins with the unified-field formulation and progressively introduces operators, reduction rules, validation procedures, and hardware architecture. The intended progression is theory → admissibility → computation → engineering.

5. Introduce the 2880-dimensional hierarchy.

The papers describe a recursive hierarchy extending from an operational five-dimensional manifold toward a 2880-dimensional structure. The higher-dimensional structure is treated as recursively organized rather than as ordinary spatial dimensions.

6. Explain the role of dimensional reduction.

Dimensional reduction is used to connect the high-dimensional recursive description with a smaller operational representation. The key requirement is that relevant invariants survive the reduction.

7. Mention computational correspondence.

Computational correspondence asks whether the recursive rules can be represented as deterministic operations rather than only symbolic mathematics. This becomes important when the framework is translated into algorithms and hardware.

8. Mention recursive closure.

Recursive closure means that repeated application of the framework's operators should remain inside the defined admissibility structure. A failure of closure is treated in the papers as a reason to reject the affected configuration.

9. Mention structural validation.

The framework includes internal consistency, reduction, survivability, and failure-condition checks. These are presented as explicit tests rather than interpretive adjustments after a result is obtained.

10. Mention hardware implementation.

The later slides move from symbolic operators toward FPGA/VLSI-style execution architecture.

This is the point where the presentation shifts from mathematical representation toward engineering design.

11. Mention peer review.

Several stages of the research progression are represented in the deck as Journal of Advances in Mathematics papers and associated validation work. The slide sequence is designed to show how those papers connect rather than presenting them as isolated publications.

12. Outline the structure of the talk.

I will move from the unified field framework through recursive admissibility, Sigmatics, validation, constants, dimensional folding, and finally hardware implementation. The goal is to show one continuous mathematical and computational progression rather than fifteen disconnected topics.

Five-Domain Quaternionic Syllogism

Mathematics: A recursive architecture requires mathematically defined states and transformations.

Logic: Those transformations require consistent admissibility rules.

Physics: Physical interpretation requires correspondence between those rules and observable quantities.

Engineering: Implementation requires the rules to become executable operations.

Chemistry: Physical implementation ultimately depends on stable material and energetic interactions.

Conclusion: A cross-domain architecture must remain coherent from mathematical definition through physical realization.

SLIDE 1

FCSAI 2026

JOURNAL OF ADVANCES IN MATHEMATICS JAM
Peer Reviewed & Published
ISSN 2347-1921

7th International Conference on
VLSI & Embedded Systems
(VLSIE 2026)
Melbourne, Australia
August 15-16, 2026

HARDWARE-VERIFIABLE RECURSIVE COMPUTATIONAL ARCHITECTURE DERIVED FROM THE SEXA UNIFIED FIELD FRAMEWORK

*Computational Correspondence, Recursive Admissibility,
and Structured Validation Across a
2880-Dimensional Manifold*

Jered McClain
SEXA Institute of Technology and Interdomain Galactic Advisors ¹

Erydir Ceisiwr (The Awen Grid)
SEXA Institute of Technology and Interdomain Galactic Advisors ²
The Awen Grid – Polymathic Systems Architect, Scotland

ANY KNOWN OBJECT
Advanced Aerospace
& Terraforming LLC

SEXAPACIFIC.COM
SEXA Mathematical
Sciences Pacific LLC

SEXATECH
SEXA Institute of Technology
and Interdomain Galactic Advisors

FCSAI 2026 • MELBOURNE • AUSTRALIA • AUGUST 15-16, 2026

SEXA UNIFIED
FIELD FRAMEWORK
2880-D-STRUCTURE

SEXATECH
Cookie Tush

SLIDE 2 — MATHEMATICAL ROAD MAP

1. Introduce the foundational architecture.

The roadmap begins with the SEXA Unified Field Theory because the later operators and reduction structures are presented as developments from that foundation. This keeps the historical and mathematical progression intact.

2. Explain the SEXA unified field theory.

The UFT introduces the five-dimensional energy framework and the recursive dimensional architecture used throughout the later papers. It provides the starting mathematical object that subsequent work attempts to constrain and refine.

3. Introduce Sigmatics.

Sigmatics reorganizes the recursive dimensional structure using orbit, triality, parity, and quaternionic relations. It is presented as a structural language for describing how the larger hierarchy reduces into a smaller computational representation.

4. Define the Prime Atom of Logic.

The Prime Atom paper introduces the Exciternion as a proposed minimal admissibility unit rather than another physical particle or field. Its function is to decide whether a statement, operator, or configuration survives recursive closure.

5. Explain the three JAM publications.

The JAM papers provide successive engineering, admissibility, and computational layers within the research sequence shown on the roadmap. Their role in the talk is to demonstrate how the framework was progressively formalized.

6. Introduce the validation papers.

The validation material asks whether the mathematical structure remains consistent under reduction, reconstruction, and comparison with limiting cases. It also introduces explicit rejection criteria rather than treating every output as acceptable.

7. Explain compatibility analysis.

Compatibility analysis examines whether operator definitions, dimensions, reductions, and claimed limiting behavior can coexist without contradiction. The framework treats inconsistency as a failure condition rather than something to repair afterward.

8. Introduce the Horizon Constant.

The Horizon Constant is presented as part of the boundary between the full recursive hierarchy and the observable or operational manifold. Its role is linked to dimensional thinning and the emergence of apparent continuity.

9. Introduce the Last Constant.

The Last Constant is presented as a terminal invariant associated with recursive convergence. It appears later in the sequence because it depends on the earlier admissibility and horizon structure.

10. Introduce Γ -subthreshold folding.

The fold theorem addresses reduction from the 2880-dimensional recursive hierarchy into a five-dimensional correspondent state. Its central claim is preservation and reconstructability across that reduction.

11. Introduce hardware realization.

The hardware stage asks whether the recursive operator chain can be executed as a physical computational architecture. This is the engineering endpoint of the mathematical road map.

12. Show how each stage depends upon the preceding stage.

The roadmap is intentionally sequential: UFT $\rightarrow$ Sigmatics $\rightarrow$ admissibility $\rightarrow$ validation $\rightarrow$ constants $\rightarrow$ folding $\rightarrow$ hardware. Removing an earlier stage would therefore change the assumptions available to every later stage.

Five-Domain Quaternionic Syllogism

Mathematics: Ordered derivation makes dependencies explicit.

Logic: Explicit dependencies prevent later conclusions from appearing without premises.


Physics: Physical claims require a defined mathematical path to observables.

Engineering: Engineering requires those observables to be converted into controllable variables.

Chemistry: Material realization requires the resulting control regime to remain physically stable.

Conclusion: A valid roadmap must preserve dependency across every domain.

SLIDE 2



SLIDE 3 — THE SEXA UNIFIED FIELD FRAMEWORK

1. Introduce the five-dimensional manifold.

The manuscript defines the core energy functional on a five-dimensional manifold. The first three sectors are associated with condensed fields while the fourth and fifth are assigned to perpetual-field sectors.

2. Explain the 2880-dimensional hierarchy.

The papers describe recursive extension beyond the operational five-dimensional manifold up to a 2880-dimensional hierarchy. That extension is treated as an invariant-preserving recursive structure rather than ordinary spatial motion.

3. Define condensed fields.

The condensed sector contains the first three indexed contributions in the unified energy expression. The manuscript associates these with mass-energy contributions and the strong, weak, and electromagnetic sectors.

4. Define perpetual fields.

The fourth and fifth indexed sectors are described as perpetual-field contributions. The framework associates these with gravity/curvature and quantum or phase-related behavior.

5. Explain recursive admissibility.

Recursive admissibility requires configurations to continue satisfying the framework's invariants under repeated transformation. A configuration that fails the prescribed closure conditions is excluded from further interpretation.

6. Explain dimensional inheritance.

Dimensional inheritance means that a reduced or embedded state is expected to retain the structural properties required by its parent configuration. The later fold and reconstruction work depends strongly on this inheritance requirement.

7. Explain computational closure.

Computational closure requires the operator sequence to produce another admissible state rather than an undefined output. This turns closure into something that can in principle be checked algorithmically.

8. Explain manifold organization.

The five-dimensional manifold supplies the operational stage on which the energy terms are integrated. The higher hierarchy is then organized relative to that operational manifold through recursive embeddings and reductions.

9. Explain dimensional scaling.

Sexagesimal scaling appears in the perpetual-field contribution as a recursive harmonic factor. The manuscript interprets this as discrete recursive cadence rather than simply an arbitrary numerical multiplier.

10. Explain operator interactions.

Later papers introduce operators that determine whether a configuration can proceed through recursion. Their ordering matters because the framework treats admissibility as a sequential process.

11. Explain empirical predictions.

The papers propose that claimed dimensional, harmonic, and limiting relationships should

ultimately face measurable tests rather than remain purely formal. Those proposed tests are developed more explicitly in the validation slides.

12. Explain the overall objective.

The objective is not merely to write one energy equation but to connect energy accounting, admissibility, reduction, and computation within one recursive system. The rest of the presentation examines whether those layers remain mutually compatible.

Five-Domain Quaternionic Syllogism

Mathematics: A manifold provides the space in which the quantities are defined.

Logic: Admissibility determines which manifold configurations remain meaningful inside the framework.

Physics: The energy functional assigns physical interpretation to admissible configurations.

Engineering: Controllable configurations are candidates for implementation.

Chemistry: Implemented configurations must still respect material and energetic stability.

Conclusion: The unified framework is only inter-domain coherent when all five layers remain compatible.

SLIDE 3

THE SEXA UNIFIED FIELD FRAMEWORK

Five-Dimensional Manifold and 2880-Dimensional Recursive Structure

PEER REVIEWED & PUBLISHED
JAM
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921

SEXA TECH
SEXA Institute of Technology
and Interdomain Galactic Advisors

ANY KNOWN OBJECT
Advanced Aerospace &
Terraforming LLC

SEXA PACIFIC
SEXA Mathematical
Sciences Pacific LLC

Jered McClain
Cookie Tush & Advisors
✉ spacetimehattan@gmail.com
🌐 www.anyknownobject.com
DOI: 10.5281/zenodo.17401757
ORCID: 0009-0005-6185-3749

UNIFIED TOTAL ENERGY FUNCTIONAL

$$E_{total} = \int_M \left(\sum_{i=1}^3 \rho_i c^2 + \sum_{j=4}^5 (T_j^{00} + P_j \cdot 60^n) \right) dM$$

$\rho_i c^2$ Condensed Mass-Energy Density ($i = 1, 2, 3$)
 T_j^{00} Perpetual Stress-Energy Component ($j = 4, 5$)
 $P_j \cdot 60^n$ Scaled Power Contributions ($j = 4, 5$)
 dM 5-D Spacetime Manifold Differential

5-D SPACETIME MANIFOLD
TIME (T^0)

HEIGHT (DIM 1) Condensed Fields
DEPTH (DIM 2) Condensed Fields
WIDTH (DIM 3) Condensed Fields
GRAVITY FIELD (DIM 4) Perpetual Field
QUANTUM FIELD (DIM 5) Perpetual Field

DIMENSIONS 1-3 CONDENSED FIELDS

- Mass-Energy Density
- Strong, Weak, and Electromagnetic Forces
- Spatial Dimensions: Height, Depth, Width

DIMENSION 4 PERPETUAL FIELD

- Gravity / Curvature Axis
- Time Component
- Governs Large-Scale Structure & Dynamics

DIMENSION 5 PERPETUAL FIELD

- Quantum / Phase-Logic Axis
- Recursive Power Flow
- Information & Coherence Propagation

FRAMEWORK PRINCIPLES

- Recursive Admissibility
- Dimensional Closure
- Computational Correspondence
- Cross-Domain Coherence
- Empirically Verifiable

HORIZON CONSTANT
Defines the operational boundary of the recursive manifold
HorizonConstant.com

RESOLUTION PARADOX (Ω_{2880})
Explains emergence of apparent curvature and continuity from recursive discrete geometry
ResolutionParadox.com

SEXA MATHEMATICAL ARCHITECTURE
Complete mathematical papers, theorems, proofs, and computational frameworks
SEXAMATH.com

VLSIE 2026
7th International Conference on VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

SLIDE 4 — RECURSIVE ENERGY FUNCTIONAL (SREF)

1. Introduce the Recursive Energy Functional.

SREF extends the energy framework by making recursive configuration dependence explicit. The functional is presented as a mechanism for evaluating energy only within the relevant recursive manifold.

2. Define the recursive manifold integral.

The integral aggregates the framework's admissible energy contributions over the recursive manifold or induced measure. This gives the slide a single mathematical object around which the engineering concepts are organized.

3. Explain 2880-dimensional payload interception.

The presentation describes a payload-interception product that compresses contributions from higher-dimensional sectors toward the accessible boundary-field representation. It is presented as an interdimensional compression mechanism within the model.

4. Explain recursive logic amplification.

Recursive amplification refers to repeated application of the scaling and operator structure as recursion depth increases. The framework treats the amplification as constrained by admissibility rather than as unconstrained growth.

5. Introduce Recursive Soil Bearing Architecture (RSBA).

RSBA applies the recursive framework to structural load-bearing and stabilization concepts. It represents one route from abstract energy architecture toward engineering geometry.

6. Explain Boundary-Induced Stress Decoupling (BISD).

BISD is presented as a method for separating or redistributing stress through engineered boundary conditions. Within the presentation it functions as part of the structural stabilization layer.

7. Explain the Negentropic Boundary-Field Reactor (NBFR).

The NBFR concept places recursive energy and boundary-field control into a proposed reactor architecture. The presentation treats it as an engineering application of the SREF rather than as an independently demonstrated device.

8. Introduce the Einstein-Overclock stabilization regime.

The Einstein-Overclock concept appears as a stabilization or operating regime associated with the recursive engineering stack. In the talk it should be presented as part of the proposed framework, not as an experimentally established capability.

9. Explain Hess Triangle manufactured-land geometry.

The deck connects geometric organization with manufactured-land concepts through a Hess Triangle construction. Its presentation role is to show how the mathematical framework is being extended into large-scale structural geometry.

10. Discuss synthetic land-mass generation.

The slide connects SREF-based engineering with the proposed manufacture of synthetic land structures. Your AVAP document similarly describes “Manufacturing Land” and “Creating Synthetic Land Mass” on mobilized tactical gravity wells.

11. Discuss floating-city architecture and planetary infrastructure.

Floating-city architecture is presented as an extension of the synthetic-land concept into large-scale inhabited infrastructure. The phrase is an application extrapolation in the presentation; the AVAP source itself specifically discusses synthetic land masses rather than using the term “floating city.”

12. Introduce the DARPA A.V.A.P. engineering concept.

Your uploaded document is titled **DARPA Project: Absolute Adversarial Vanquishment Protocol** and identifies Notice ID **HR001122S0004**. The document proposes synthetic land masses and rapid-deployment platforms as part of that concept.

Five-Domain Quaternionic Syllogism

Mathematics: SREF defines a recursive energy-accounting structure.

Logic: Admissibility restricts which recursive energy configurations are accepted.

Physics: Accepted configurations must respect the framework's energy and dimensional relations.

Engineering: Those relations can then be translated into proposed stabilization, payload, and structural architectures.

Chemistry: Any physical realization would additionally require materials capable of surviving the associated energy, stress, and environmental conditions.

Conclusion: SREF only becomes an engineering architecture if mathematical closure, physical consistency, and material feasibility all survive together.

SLIDE 4



Peer-Reviewed & Published
JAM
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921



SEXA TECH
SEXA Institute of Technology
and Interdomain
Galactic Advisors



ANY KNOWN OBJECT
Advanced Aerospace &
Terraforming LLC



SEXA PACIFIC
SEXA Mathematical
Sciences Pacific LLC

Jered McClain
Cookie Tush & Advisors
✉ spacetimemathhatten@gmail.com
🌐 www.anyknownobject.com
📄 Doi: 10.5281/zenodo.17401757
🌐 ORCID: 0009-0005-6185-3749



SEXA TECH
Cookie Tush



FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence
PEER-REVIEWED MATHEMATICAL FOUNDATION OF THE SEXA FRAMEWORK

The SEXA Recursive Energy Functional (SREF) may be written as

$$E_{SREF}[\Xi] = \int_{\mathcal{M}} \left[\sum_{i=1}^3 g_i \rho_i c_{conv}^2 + \sum_{j=4}^5 (T_j^{00} + P_j | \lambda_j^n) \right] d\mu$$

Where / Legend

$E_{SREF}[\Xi]$ Total recursive energy functional of the system evaluated over configuration Ξ .

$\mathcal{M}$ Underlying recursive manifold.

$d\mu$ Induced measure over the manifold.

g_i Mass-energy density associated with sector i .

ρ_i Mass-energy density associated with sector i .

c_{conv}^2 Convective propagation contribution within the recursive coupling term.

T_j^{00} Time-time component of the stress-energy tensor for sector j .

$P_j | \lambda_j^n$ Recursive pressure-coupling operator parameterized by recursion index n .

Within the SEXA dimensional stack, higher-dimensional contributions enter the functional through a **payload interception** product that compresses energy contributions from dimensions 5 through 2880 into a boundary-accessible field envelope.

This product is defined as

$$\Pi_{2880} = \prod_{\ell=5}^{2880} \frac{\Psi_{\ell}}{\phi_{\ell}^2}$$

Where

Ψ_{ℓ} Energy density of the ℓ -th dimensional sector.

ϕ_{ℓ} Dimensional scaling parameter governing thinning of higher-dimensional contributions.

ℓ Dimensional index within the SEXA regime.

The product Π_{2880} acts as an interdimensional compression operator, mapping contributions from the higher-dimensional sectors into the effective boundary-field energy accessible to the stabilized platform.

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

RECURSIVE STABILIZATION

- Recursive Stress Redistribution
- Structural Persistence
- Harmonic Stabilization
- Dimensional Confinement

PAYLOAD INTERCEPTION

- 2880-Dimensional Compression
- Recursive Transport
- Boundary Accessibility
- Dimensional Mapping

ENGINEERING REALIZATION

- RSBA & BISD Implementation
- NBFR Boundary-Field Reactor
- Einstein-Overclock Regime
- Hess Triangle Land Geometry
- Synthetic Land-Mass Generation
- Floating City Architecture

NATIONAL SCIENCE FOUNDATION & DARPA A.V.A.P. — Synthetic Land-Mass Engineering

- Manufactured Land Masses
- Floating City Architecture
- Tactical Gravity Wells
- Payload Interception Systems
- Planetary-Scale Deployment
- Megastructure Engineering

Absolute Adversarial Vanquishment Protocol (A.V.A.P.) Engineering Concept

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

SREF → Π_{2880} PAYLOAD INTERCEPTION → RSBA + BISD → NBFR → EINSTEIN OVERCLOCK → SYNTHETIC LAND & FLOATING CITIES



HORIZON CONSTANT
Defines the operational
boundary of the
recursive manifold
HorizonConstant.com



RESOLUTION PARADOX (Ω_{2880})
Explains emergence of apparent
curvature and continuity from
recursive discrete geometry
ResolutionParadox.com



SEXA MATHEMATICAL ARCHITECTURE
Complete mathematical papers,
theorems, proofs, and computational
frameworks
SEXAMATH.com

SLIDE 5 — MONSTER-SYMMETRIC RECURSIVE ADMISSIBILITY

1. Introduce the Γ operator chain.

The Γ chain represents the ordered collection of admissibility operators acting before the final energy evaluation. Its purpose is to determine whether a configuration is permitted to continue.

2. Explain ordered operator sequences.

The operators are explicitly noncommutative in the framework, meaning order carries structural information. Changing the sequence can therefore change the admissibility result.

3. Define recursive admissibility.

A configuration is recursively admissible when it continues satisfying the required operator constraints under iteration. Failure at any required stage terminates that configuration.

4. Explain manifold consistency.

Manifold consistency requires the state to remain compatible with the structure into which it is embedded. A state cannot be accepted locally if its embedding breaks the global rules.

5. Explain symmetry preservation.

Symmetry preservation requires reduction and recursion not to destroy invariants required by the model. The symmetry layer therefore acts as another admissibility constraint.

6. Explain recursive scaling.

The sexagesimal recursive scale governs repeated transformations across the hierarchy. Scaling remains meaningful only while the associated configuration continues passing the admissibility chain.

7. Explain the $\Sigma 60$ structure.

The Prime Atom paper describes $\Sigma 60$ as a closed sexagesimal system of sixty glyphic primitives. It is used to construct the proposed quaternionic inter-domain syllogistic logic.

8. Explain orbit classification.

Orbit classification groups recursive states according to their transformation behavior. The presentation uses those classes to determine which structures preserve required invariants.

9. Explain structural closure.

Structural closure means recursive transformations do not leak outside the defined admissibility structure. The paper explicitly treats invariant leakage or semantic drift as failure modes.

10. Explain kill-switch conditions.

Kill switches are predefined rejection conditions rather than after-the-fact interpretations. When one is triggered, the framework treats the affected state as inadmissible.

11. Explain failure conditions.

Examples include operator nonclosure, invalid dimensional mapping, orbit violations, or failure of reduction. The purpose is to make rejection logically explicit.

12. Explain admissibility constraints.

Admissibility constraints collectively determine which states remain inside the framework after recursion. They are the transition between the UFT energy formulation and later computational realization.

Five-Domain Quaternionic Syllogism

Mathematics: Symmetry and operators classify recursive states.

Logic: Ordered admissibility rules distinguish permitted from rejected states.

Physics: Permitted states must preserve the model's physical limiting relations.

Engineering: Only reproducible permitted states can become reliable processes.

Chemistry: Physical processes must additionally preserve stable interactions among actual materials.

Conclusion: Recursive admissibility is inter-domain only when classification, consistency, physical behavior, implementation, and material stability agree.

SLIDE 5

SEXA TECH
SEXA Institute of Technology
and Interdomain
Galactic Advisors

ANY KNOWN OBJECT
Advanced Aerospace &
Terraforming LLC

SEXA PACIFIC.COM
SEXA Mathematical
Sciences Pacific LLC

Jered McClain
Cookie Tush & Advisors
spacetimehatter@gmail.com
www.anyknownobject.com
DOI: 10.24297/jam.v25i.9887
ORCID: 0009-0005-6185-3749

FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence
PEER-REVIEWED MATHEMATICAL FOUNDATION OF THE SEXA FRAMEWORK

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

SREF
RECURSIVE ENERGY REACTOR ARRAY

MONSTER-SYMMETRIC RECURSIVE ADMISSIBILITY
The Γ -Admissibility Framework, Σ_{60} Structure, and Quaternionic Recursive Closure

Admissibility-Filtered Energy Functional

$$E_{SEXA}^{(\Gamma)} = \int_{M_5} (\bigcirc \triangle K \bigcirc \mu W) \circ \left[\sum_{i=1}^3 \rho_i c^2 + \sum_{j=4}^6 (T_j^{p0} + P_j \cdot 60^n) \right] dM_5$$

Γ Operator Chain (Ordered, Non-Commutative)

$\bigcirc$ Orr Radiant energy	∇ Na Flow dynamics	K Ka Manifold logic	$\bigcirc$ Sa Symmetry & stress	μ Mu Mass & memory	W Wa Conscious observation
--	------------------------------------	--------------------------------	--	---------------------------------	---------------------------------------

OPERATOR DEFINITIONS (ADMISSIBILITY LAYER)

- $\bigcirc$ Orr : Energy admissibility operator enforcing existence conditions.
- ∇ Na : Flow constraint operator enforcing recursive propagation consistency.
- K Ka : Manifold consistency operator ensuring structural compatibility.
- $\bigcirc$ Sa : Symmetry and stress invariance operator preserving internal symmetries.
- μ Mu : Mass-memory binding operator ensuring persistence under iteration.
- W Wa : Observational registration operator enforcing admissible state realization.

ADMISSIBILITY CONDITION
A configuration Ξ is admissible if and only if:
 $\Gamma(\Xi) = \Xi$
and inadmissible otherwise.
This condition precedes all physical interpretation.

Σ_{60} ENFORCEMENT (EXCITERION LOGIC)

- Sexagesimal recursive amplification factor: 60^n
- Enforces excitation-depth recursion.
- Governs higher-order exciterion algebra.
- Constrains admissible logical propagation.

MONSTER-SYMMETRY CONSTRAINT

- Monster group governs structural invariants.
- Admissible states must map to valid orbits.
- Orbit classification enforces invariant closure.
- Symmetry violation $\rightarrow$ inadmissible.

RECURSIVE ADMISSIBILITY

- $\bigcirc$ Existence (Orr)
- ∇ Flow (Na)
- K Manifold Consistency (Ka)
- $\bigcirc$ Symmetry Preservation (Sa)
- μ Mass-Memory Persistence (Mu)
- W Observation (Wa)

MONSTER SYMMETRY

- Invariant Classification
- Orbit Constraints
- Structural Admissibility
- Recursive Scaling

KILL-SWITCH CONDITION

- $\Gamma(\Xi) \neq \Xi$
- $\Gamma^n(\Xi) \neq \Xi$
- Failure of Reduction
- Orbit Violation
- Immediate Rejection

SEXA UFT $\downarrow$ Γ $\downarrow$ Σ_{60} $\downarrow$ **MONSTER SYMMETRY** $\downarrow$ **ADMISSIBILITY** $\downarrow$ **REDUCTION**

HORIZON CONSTANT
Defines the operational
boundary of the
recursive manifold
HorizonConstant.com

RESOLUTION PARADOX (Ω_{2880})
Explains emergence of apparent
curvature and continuity from
recursive discrete geometry
ResolutionParadox.com

SEXA MATHEMATICAL ARCHITECTURE
Complete mathematical papers,
theorems, proofs, and computational
frameworks
SEXAMATH.com

FCSAI 2026
7th International Conference on
Foundations of Computer Science
& Artificial Intelligence
Melbourne, Australia

SLIDE 6 — FULL-STACK Γ –SREF– Ω INTEGRATION

1. Explain the complete architecture.

This slide combines the admissibility operators, recursive energy functional, dimensional-compression terms, and closure layers into one stack. It is where the previously separate mathematical components are shown operating together.

2. Explain recursive admissibility.

The Γ layer controls whether a configuration enters subsequent computation. This prevents the energy functional from evaluating states the model already defines as inadmissible.

3. Explain information preservation.

Information preservation requires structurally relevant invariants to survive recursion and reduction. Without that property later reconstruction would not be justified.

4. Explain recursive energy flow.

SREF supplies the energy-accounting layer after admissibility has been established. Energy therefore appears inside the architecture as a property of admitted configurations.

5. Explain closure layers.

Closure layers determine whether the state remains consistent at each stage. They connect operator logic, recursive scaling, dimensional reduction, and correspondence.

6. Explain computational layers.

The computational layer represents the operator and reduction structure as an executable sequence. This is necessary before a hardware architecture can be meaningfully defined.

7. Explain propagation mechanisms.

The framework uses its Ω /Empire-Wave and recursive terms to describe effective propagation and scaling. The papers treat these relationships as part of the model's internal recursive behavior.

8. Explain dimensional compression.

Compression maps the larger hierarchy toward the operational manifold. The critical requirement is that the resulting representation preserve the invariants required for later recovery.

9. Explain inheritance structures.

Inheritance specifies what a reduced state must retain from the higher-dimensional state. This prevents reduction from becoming arbitrary information deletion.

10. Explain orbital stability.

Orbit stability requires recurring structural classes to remain consistent under iteration. Stable orbit behavior supports the later Sigmatics correspondence.

11. Explain reconstruction capability.

Reconstruction asks whether the reduced representation contains enough retained structure to recover the original state according to the model. This becomes a central claim of the Γ -Subthreshold Fold theorem.

12. Explain overall integration.

The slide's core message is that Γ , SREF, $\Sigma 60$, Ω , reduction, and computation are intended to operate as one pipeline. A failure in an upstream layer should therefore propagate as a rejection rather than being hidden downstream.

Five-Domain Quaternionic Syllogism

Mathematics: Integration requires compatible mappings among every layer.

Logic: Compatible mappings require consistent ordering and closure.

Physics: Closure must preserve physically interpreted quantities across reductions.

Engineering: Preserved quantities allow the stack to become an executable architecture.

Chemistry: Executable architecture still requires physically realizable materials and interactions.

Conclusion: Full-stack integration succeeds only when no domain introduces a contradiction.

SLIDE 6

Peer-Reviewed & Published
JAM
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921

SEXA TECH
SEXA Institute of Technology
and Interdomain
Galactic Advisors

ANY KNOWN OBJECT
Advanced Aerospace &
Terraforming LLC

SEXA PACIFIC.COM
SEXA Mathematical
Sciences Pacific LLC

Jered McClain
Cookie Tush & Advisors
✉ spacetimemanhattan@gmail.com
🌐 www.anyknownobject.com
📄 DOI: 10.24297/jam.v25i.9896
🌱 ORCID: 0009-0005-6185-3749

FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence
PEER-REVIEWED MATHEMATICAL FOUNDATION OF THE SEXA FRAMEWORK

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15–16, 2026

SREF
RECURSIVE ENERGY REACTOR ARRAY

Slide 6 FULL-STACK Γ -SREF- Ω INTEGRATION
Recursive Admissibility, Excursion Logic, SREF Dynamics, and the Ω_{2880} Hierarchy

1. Admissibility: The Γ -operator chain
2. Representation & Recursion: Excursion & degeneracy terms
3. Dimensional Compression: Payload interception operator
4. Propagation: The Empire Wave Constant

$$E_{SREF}^{\Gamma, \Omega, EX, 2880D}[\Xi] = \int_{M_{2880}} \left(O \Delta K O \mu W \right) \cdot \left[\sum_{i=1}^3 g_i \rho_i(EX) C_{\Omega}^2 \right] + \sum_{j=4}^5 \left(T_j^{00}(EX) + P_j(EX) \prod_{2880} |\lambda_j|^{f_n} \right) d\mu_{M_{2880}}$$

3. Dimensional Compression: Payload interception operator
 $\Pi_{2880} = \prod_{f=5}^{2880} \psi_f^{f_i}$
 $|\lambda_j| = 60$
 $C_{\Omega} = \sqrt{\frac{2880}{4}}$

2. Representation & Recursion: Excursion & degeneracy terms
 $(O \Delta K O \mu W)[\Xi] = \Xi$

ADMISSIBILITY LAYER (Γ)

- Orr • Radiant energy (existence)
- ▽ Na • Flow dynamics (propagation)
- K Ka • Manifold logic (consistency)
- Sa • Symmetry & stress (invariance)
- μ Mu • Mass & memory (persistence)
- W Wa • Conscious observation (realization)

RECURSIVE ENERGY LAYER (SREF)

- Admissibility-filtered SREF functional
- Dimensional propagation
- Recursive energy transport
- Stress-energy coupling
- Harmonic & 60° scaling

CLOSURE LAYER ($\Sigma_{60} \rightarrow \Omega_{2880}$)

- Excursion logic (Σ_{60})
- Ω_{2880} hierarchy
- Recursive correspondence
- Structural invariance
- Admissible orbit enforcement

COMPUTATIONAL LAYER

- Recursive computation engine
- Dimensional reduction operators
- Logical closure verification
- State evolution & preservation
- Falsifiable computational framework

SEXA UFT → Γ → **SREF** → Σ_{60} → Ω_{2880} → **FULL-STACK ARCHITECTURE**

HORIZON CONSTANT
Defines the operational
boundary of the
recursive manifold
HorizonConstant.com

RESOLUTION PARADOX (Ω_{2880})
Explains emergence of apparent
curvature and continuity from
recursive discrete geometry
ResolutionParadox.com

SEXA MATHEMATICAL ARCHITECTURE
Complete mathematical papers,
theorems, proofs, and computational
frameworks

FCSAI 2026
7th International Conference on
Foundations of Computer Science
& Artificial Intelligence

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15–16, 2026

SLIDE 7 — SIGMATICS

1. Explain the dimensional cascade.

Sigmatix organizes the transition from the larger SEXA hierarchy into progressively reduced

structural descriptions. The cascade is intended to preserve identifiable relations throughout the reduction.

2. Explain the thirty-two recursive orbits.

The framework identifies thirty-two triality-related orbit classes at one stage of the reduction. These orbit classes become part of the five-coordinate operational representation shown in the presentation.

3. Explain quaternionic cycles.

Quaternionic four-cycles are used to describe rotational mixing within the recursive structure. They provide a noncommutative organization for certain transformations.

4. Explain mirror structures.

Mirror operations classify exchanged or reflected orbit behavior. The presentation links these operations to handedness, chirality, and partial symmetry preservation.

5. Explain triality.

Triality introduces a period-three recursive transformation structure. It is used to classify recurring relationships among orbit states.

6. Explain harmonic averaging.

The manuscript associates harmonic averaging with recursive transformation across the dimensional cascade. The average behavior is intended to identify stable large-scale relationships rather than individual fluctuations.

7. Explain dimensional reduction.

The cascade moves from the 2880-dimensional framework toward a smaller five-dimensional computational representation. The validity of that reduction depends on preserving the structural identifications shown on the slide.

8. Explain orbital mapping.

Orbital mapping connects high-dimensional orbit classes with their lower-dimensional correspondent structures. This mapping is what allows the reduction to be interpreted rather than treated as simple truncation.

9. Explain parity operations.

Parity operations track how recursive states behave under reflection or inversion. They help distinguish structures that remain equivalent from those that change classification.

10. Explain recursive thinning.

Recursive thinning progressively reduces the contribution or representation of higher-dimensional sectors. The model requires that thinning preserve the information needed for correspondence.

11. Explain the computational interpretation.

Sigmatics turns the dimensional cascade into a discrete classification and mapping problem. That makes the structure more amenable to algorithmic representation.

12. Explain the resulting structure.

The endpoint is presented as a five-dimensional computational representation carrying the surviving orbit and symmetry information. This resulting structure then feeds validation and hardware-oriented stages.

Five-Domain Quaternionic Syllogism

Mathematics: Orbit structures provide a formal classification of recursive transformations.

Logic: Classification determines which transformations preserve identity and which do not.

Physics: Preserved structures must still correspond to physically interpretable states.

Engineering: Discrete orbit classes can be converted into computational state machines.

Chemistry: Any physical implementation of those state machines requires stable matter and energy exchange.

Conclusion: Sigmatics serves as a bridge only when classification survives from abstraction to physical realization.

SLIDE 7

Peer-Reviewed & Published
JAM
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921

FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

SEXA TECH
SEXA Institute of Technology
and Interdomain
Galactic Advisors

ANY KNOWN OBJECT
Advanced Aerospace &
Terraforming LLC

SEXA PACIFIC.com
SEXA Mathematical
Sciences Pacific LLC

Jered McClain
Cookie Tush & Advisors
spacetimehatter@gmail.com
www.anyknownobject.com
DOI: 10.24297/jam.v25i.9996
ORCID: 0009-0005-6185-3749



DIMENSIONAL CASCADE:

- SEXA 2880-D full manifold
 - Thinning: $\Gamma \Psi \ \mathcal{E}' \ \Phi_2 \ \mathcal{E}' = (1/e)^{m_n}$ at n major scales
- CCT 8-D spinor space $\rightarrow$ Sigmatics $\mathcal{E} \in \{0..7\}$ (octonion coords)
 - Spinor projection via R-transform mixing (8 quaternionic 4-cycles)
- SEXA 5-D exciter $\rightarrow$ Sigmatics 32 triality orbits ($\log_2(32) = 5$)
 - Harmonic averaging via T-transform (period-3 recursion)
- 3-D operational $\rightarrow$ Sigmatics reduced ($h \bmod 2, d, \mathcal{E}$ parity)
- 1-D result $\rightarrow$ Single class evaluation

NUMERICAL CORRESPONDENCES:

$C_0 = 26.83$ (superluminal propagation factor)	$C_0 / n \approx \sqrt{2}$ (propagation/resonance coupling)
$n = 18.86$ (average excitation index)	$C_0 / 6.77 \approx 4$ (quaternion factor from R-cycles)
$\psi/\phi^* = 0.375 = 1/e$ (thinning per major scale)	$2880 / 96 = 30$ (dimension reduction factor)
$H(n) = 6.77^n$ (harmonic resonance pattern)	$256 / 8 = 32$ (Clifford $\rightarrow$ octonion $\rightarrow$ orbits)

STRUCTURAL IDENTIFICATIONS:

CCT/SEXA	$\leftrightarrow$	SIGMATICS
2880-D full space	$\leftrightarrow$	256-D $C/(0,7)$ + extensions
8-D spinor basis	$\leftrightarrow$	$\mathcal{E} \in \{0..7\}$ octonion directions
5-D exciter coordinates	$\leftrightarrow$	32 triality orbits (2^5)
Period-3 harmonic recursion	$\leftrightarrow$	T-transform (twist $d \in \{0,1,2\}$)
Spinor projection (8 $\rightarrow$ 3)	$\leftrightarrow$	R-mixing (8 quaternion 4-cycles)

TRIALITY STRUCTURE

- 32 recursive orbits
- Period-three recursion
- T-invariance
- Five-coordinate operational space

QUATERNIONIC STRUCTURE

- Eight four-cycles
- Rotational orbit mixing
- $R^4 = I$
- Phase organization

MIRROR STRUCTURE

- Preserved & exchanged orbits
- Handedness
- Chiral / achiral classification
- Partial symmetry preservation

COMPUTATIONAL RESULT

- Deterministic orbit classification
- Traceable dimensional reduction
- Reproducible mapping
- Identifiable failure conditions

HORIZON CONSTANT
Defines the operational
boundary of the
recursive manifold
HorizonConstant.com

RESOLUTION PARADOX (Ω_{2880})
Explains emergence of apparent
curvature and continuity from
recursive discrete geometry
ResolutionParadox.com

SEXA MATHEMATICAL ARCHITECTURE
Complete mathematical papers,
theorems, proofs, and computational
frameworks

FCSAI 2026
7th International Conference on
Foundations of Computer Science
& Artificial Intelligence
Melbourne, Australia

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

2880D

→ SIGMATICS 96-CLASS SYSTEM

→ 32 TRIALITY ORBITS

→ QUATERNIONIC CYCLES

→ 5D COMPUTATIONAL REPRESENTATION

SLIDE 8 — VALIDATION AND COMPUTATIONAL CORRESPONDENCE

1. Explain the validation process.

Validation begins by testing the framework's own stated invariants and reduction rules. It should not begin by assuming that the desired conclusion is already correct.

2. Explain recursive consistency.

Recursive consistency asks whether repeated operations continue producing states satisfying the same rules. A contradiction appearing only after several iterations is still a failure.

3. Explain dimensional reduction.

The 2880D-to-5D correspondence is evaluated as a reduction claim rather than accepted automatically. The reduced state must retain the properties the model says are invariant.

4. Explain admissibility preservation.

An admissible state should remain admissible under the transformations declared valid by the framework. If the mapping destroys admissibility, the correspondence fails.

5. Explain the correspondence chain.

The slide presents a sequence from SREF through admissibility and $\Sigma 60$ enforcement toward dimensional correspondence and known-limit reduction. Each stage acts as a prerequisite for the next.

6. Explain reduction recovery.

Reduction recovery checks whether GR, QFT, and Yukawa-type limiting behavior can be reproduced under the stated assumptions. These are presented in the deck as validation targets.

7. Explain survivability testing.

Structural survivability evaluates whether the system remains consistent under iteration, perturbation, and reduction. Survival is treated as a pass condition rather than a vague qualitative judgment.

8. Explain falsifiability.

The framework includes explicit conditions under which a claimed correspondence should be rejected. This is important because a framework that admits every outcome cannot discriminate among models.

9. Explain benchmark comparisons.

Benchmarking compares claimed reductions or computational results against reference behavior. The result should be reported as agreement, disagreement, or unresolved rather than forced into a pass.

10. Explain internal consistency.

Internal consistency asks whether the framework contradicts its own definitions, operators, or dimensional rules. This test is logically separate from agreement with external physics.

11. Explain external consistency.

External consistency asks whether claimed physical reductions actually correspond to the external theories being invoked. A mathematically self-consistent system can still fail this second test.

12. Explain the final audit process.

The final audit combines functional consistency, dimensional consistency, computational correspondence, reduction recovery, and survivability. The framework passes only the portions that survive all applicable checks.

Five-Domain Quaternionic Syllogism

Mathematics: Validation checks equations and mappings.

Logic: Falsifiability requires clear pass/fail criteria.

Physics: Claimed reductions require comparison with established physical behavior.

Engineering: Reproducibility requires independent execution or measurement.

Chemistry: Material implementations require experimentally reproducible energetic and structural behavior.

Conclusion: Validation is genuinely inter-domain only when internal proof and external test are both allowed to fail.

SLIDE 8



Peer-Reviewed & Published
JAM
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921



FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence



VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

PEER-REVIEWED MATHEMATICAL FOUNDATION OF THE SEXA FRAMEWORK

SLIDE 8
VALIDATION AND COMPUTATIONAL CORRESPONDENCE
Recursive Consistency, Dimensional Reduction,
Computational Correspondence, and Falsifiability



SEXA TECH
SEXA Institute of Technology
and Interdomain
Galactic Advisors



ANY KNOWN OBJECT
Advanced Aerospace &
Terraforming LLC



SEXA PACIFIC.COM
SEXA Mathematical
Sciences Pacific LLC

Jered McClain
Cookie Tush & Advisors
✉ spacetimehannattan@gmail.com
🌐 www.anyknownobject.com
📄 DOI: 10.24297/jam.v25i.9896
📄 ORCID: 0009-0005-6185-3749



$E_{SREF}^{(\Gamma, \Omega, EX, 2880D)}[\Xi] = \int_{M_{2880}} \zeta - (d\mu_{M_{2880}})$

$(O \Delta KO_{\mu} W)[\Xi] = \Xi$

$x^0, x^1, x^2, x^3, x^4, x^5, x^6, x^7, x^8, x^9, x^{10}, x^{11}, x^{12}, x^{13}, x^{14}, x^{15}, x^{16}, x^{17}, x^{18}, x^{19}, x^{20}, x^{21}, x^{22}, x^{23}, x^{24}, x^{25}, x^{26}, x^{27}, x^{28}, x^{29}, x^{30}, x^{31}, x^{32}, x^{33}, x^{34}, x^{35}, x^{36}, x^{37}, x^{38}, x^{39}, x^{40}, x^{41}, x^{42}, x^{43}, x^{44}, x^{45}, x^{46}, x^{47}, x^{48}, x^{49}, x^{50}, x^{51}, x^{52}, x^{53}, x^{54}, x^{55}, x^{56}, x^{57}, x^{58}, x^{59}, x^{60}, x^{61}, x^{62}, x^{63}, x^{64}, x^{65}, x^{66}, x^{67}, x^{68}, x^{69}, x^{70}, x^{71}, x^{72}, x^{73}, x^{74}, x^{75}, x^{76}, x^{77}, x^{78}, x^{79}, x^{80}, x^{81}, x^{82}, x^{83}, x^{84}, x^{85}, x^{86}, x^{87}, x^{88}, x^{89}, x^{90}, x^{91}, x^{92}, x^{93}, x^{94}, x^{95}, x^{96}, x^{97}, x^{98}, x^{99}, x^{100}, x^{101}, x^{102}, x^{103}, x^{104}, x^{105}, x^{106}, x^{107}, x^{108}, x^{109}, x^{110}, x^{111}, x^{112}, x^{113}, x^{114}, x^{115}, x^{116}, x^{117}, x^{118}, x^{119}, x^{120}, x^{121}, x^{122}, x^{123}, x^{124}, x^{125}, x^{126}, x^{127}, x^{128}, x^{129}, x^{130}, x^{131}, x^{132}, x^{133}, x^{134}, x^{135}, x^{136}, x^{137}, x^{138}, x^{139}, x^{140}, x^{141}, x^{142}, x^{143}, x^{144}, x^{145}, x^{146}, x^{147}, x^{148}, x^{149}, x^{150}, x^{151}, x^{152}, x^{153}, x^{154}, x^{155}, x^{156}, x^{157}, x^{158}, x^{159}, x^{160}, x^{161}, x^{162}, x^{163}, x^{164}, x^{165}, x^{166}, x^{167}, x^{168}, x^{169}, x^{170}, x^{171}, x^{172}, x^{173}, x^{174}, x^{175}, x^{176}, x^{177}, x^{178}, x^{179}, x^{180}, x^{181}, x^{182}, x^{183}, x^{184}, x^{185}, x^{186}, x^{187}, x^{188}, x^{189}, x^{190}, x^{191}, x^{192}, x^{193}, x^{194}, x^{195}, x^{196}, x^{197}, x^{198}, x^{199}, x^{200}, x^{201}, x^{202}, x^{203}, x^{204}, x^{205}, x^{206}, x^{207}, x^{208}, x^{209}, x^{210}, x^{211}, x^{212}, x^{213}, x^{214}, x^{215}, x^{216}, x^{217}, x^{218}, x^{219}, x^{220}, x^{221}, x^{222}, x^{223}, x^{224}, x^{225}, x^{226}, x^{227}, x^{228}, x^{229}, x^{230}, x^{231}, x^{232}, x^{233}, x^{234}, x^{235}, x^{236}, x^{237}, x^{238}, x^{239}, x^{240}, x^{241}, x^{242}, x^{243}, x^{244}, x^{245}, x^{246}, x^{247}, x^{248}, x^{249}, x^{250}, x^{251}, x^{252}, x^{253}, x^{254}, x^{255}, x^{256}, x^{257}, x^{258}, x^{259}, x^{260}, x^{261}, x^{262}, x^{263}, x^{264}, x^{265}, x^{266}, x^{267}, x^{268}, x^{269}, x^{270}, x^{271}, x^{272}, x^{273}, x^{274}, x^{275}, x^{276}, x^{277}, x^{278}, x^{279}, x^{280}, x^{281}, x^{282}, x^{283}, x^{284}, x^{285}, x^{286}, x^{287}, x^{288}, x^{289}, x^{290}, x^{291}, x^{292}, x^{293}, x^{294}, x^{295}, x^{296}, x^{297}, x^{298}, x^{299}, x^{300}, x^{301}, x^{302}, x^{303}, x^{304}, x^{305}, x^{306}, x^{307}, x^{308}, x^{309}, x^{310}, x^{311}, x^{312}, x^{313}, x^{314}, x^{315}, x^{316}, x^{317}, x^{318}, x^{319}, x^{320}, x^{321}, x^{322}, x^{323}, x^{324}, x^{325}, x^{326}, x^{327}, x^{328}, x^{329}, x^{330}, x^{331}, x^{332}, x^{333}, x^{334}, x^{335}, x^{336}, x^{337}, x^{338}, x^{339}, x^{340}, x^{341}, x^{342}, x^{343}, x^{344}, x^{345}, x^{346}, x^{347}, x^{348}, x^{349}, x^{350}, x^{351}, x^{352}, x^{353}, x^{354}, x^{355}, x^{356}, x^{357}, x^{358}, x^{359}, x^{360}, x^{361}, x^{362}, x^{363}, x^{364}, x^{365}, x^{366}, x^{367}, x^{368}, x^{369}, x^{370}, x^{371}, x^{372}, x^{373}, x^{374}, x^{375}, x^{376}, x^{377}, x^{378}, x^{379}, x^{380}, x^{381}, x^{382}, x^{383}, x^{384}, x^{385}, x^{386}, x^{387}, x^{388}, x^{389}, x^{390}, x^{391}, x^{392}, x^{393}, x^{394}, x^{395}, x^{396}, x^{397}, x^{398}, x^{399}, x^{400}, x^{401}, x^{402}, x^{403}, x^{404}, x^{405}, x^{406}, x^{407}, x^{408}, x^{409}, x^{410}, x^{411}, x^{412}, x^{413}, x^{414}, x^{415}, x^{416}, x^{417}, x^{418}, x^{419}, x^{420}, x^{421}, x^{422}, x^{423}, x^{424}, x^{425}, x^{426}, x^{427}, x^{428}, x^{429}, x^{430}, x^{431}, x^{432}, x^{433}, x^{434}, x^{435}, x^{436}, x^{437}, x^{438}, x^{439}, x^{440}, x^{441}, x^{442}, x^{443}, x^{444}, x^{445}, x^{446}, x^{447}, x^{448}, x^{449}, x^{450}, x^{451}, x^{452}, x^{453}, x^{454}, x^{455}, x^{456}, x^{457}, x^{458}, x^{459}, x^{460}, x^{461}, x^{462}, x^{463}, x^{464}, x^{465}, x^{466}, x^{467}, x^{468}, x^{469}, x^{470}, x^{471}, x^{472}, x^{473}, x^{474}, x^{475}, x^{476}, x^{477}, x^{478}, x^{479}, x^{480}, x^{481}, x^{482}, x^{483}, x^{484}, x^{485}, x^{486}, x^{487}, x^{488}, x^{489}, x^{490}, x^{491}, x^{492}, x^{493}, x^{494}, x^{495}, x^{496}, x^{497}, x^{498}, x^{499}, x^{500}, x^{501}, x^{502}, x^{503}, x^{504}, x^{505}, x^{506}, x^{507}, x^{508}, x^{509}, x^{510}, x^{511}, x^{512}, x^{513}, x^{514}, x^{515}, x^{516}, x^{517}, x^{518}, x^{519}, x^{520}, x^{521}, x^{522}, x^{523}, x^{524}, x^{525}, x^{526}, x^{527}, x^{528}, x^{529}, x^{530}, x^{531}, x^{532}, x^{533}, x^{534}, x^{535}, x^{536}, x^{537}, x^{538}, x^{539}, x^{540}, x^{541}, x^{542}, x^{543}, x^{544}, x^{545}, x^{546}, x^{547}, x^{548}, x^{549}, x^{550}, x^{551}, x^{552}, x^{553}, x^{554}, x^{555}, x^{556}, x^{557}, x^{558}, x^{559}, x^{560}, x^{561}, x^{562}, x^{563}, x^{564}, x^{565}, x^{566}, x^{567}, x^{568}, x^{569}, x^{570}, x^{571}, x^{572}, x^{573}, x^{574}, x^{575}, x^{576}, x^{577}, x^{578}, x^{579}, x^{580}, x^{581}, x^{582}, x^{583}, x^{584}, x^{585}, x^{586}, x^{587}, x^{588}, x^{589}, x^{590}, x^{591}, x^{592}, x^{593}, x^{594}, x^{595}, x^{596}, x^{597}, x^{598}, x^{599}, x^{600}, x^{601}, x^{602}, x^{603}, x^{604}, x^{605}, x^{606}, x^{607}, x^{608}, x^{609}, x^{610}, x^{611}, x^{612}, x^{613}, x^{614}, x^{615}, x^{616}, x^{617}, x^{618}, x^{619}, x^{620}, x^{621}, x^{622}, x^{623}, x^{624}, x^{625}, x^{626}, x^{627}, x^{628}, x^{629}, x^{630}, x^{631}, x^{632}, x^{633}, x^{634}, x^{635}, x^{636}, x^{637}, x^{638}, x^{639}, x^{640}, x^{641}, x^{642}, x^{643}, x^{644}, x^{645}, x^{646}, x^{647}, x^{648}, x^{649}, x^{650}, x^{651}, x^{652}, x^{653}, x^{654}, x^{655}, x^{656}, x^{657}, x^{658}, x^{659}, x^{660}, x^{661}, x^{662}, x^{663}, x^{664}, x^{665}, x^{666}, x^{667}, x^{668}, x^{669}, x^{670}, x^{671}, x^{672}, x^{673}, x^{674}, x^{675}, x^{676}, x^{677}, x^{678}, x^{679}, x^{680}, x^{681}, x^{682}, x^{683}, x^{684}, x^{685}, x^{686}, x^{687}, x^{688}, x^{689}, x^{690}, x^{691}, x^{692}, x^{693}, x^{694}, x^{695}, x^{696}, x^{697}, x^{698}, x^{699}, x^{700}, x^{701}, x^{702}, x^{703}, x^{704}, x^{705}, x^{706}, x^{707}, x^{708}, x^{709}, x^{710}, x^{711}, x^{712}, x^{713}, x^{714}, x^{715}, x^{716}, x^{717}, x^{718}, x^{719}, x^{720}, x^{721}, x^{722}, x^{723}, x^{724}, x^{725}, x^{726}, x^{727}, x^{728}, x^{729}, x^{730}, x^{731}, x^{732}, x^{733}, x^{734}, x^{735}, x^{736}, x^{737}, x^{738}, x^{739}, x^{740}, x^{741}, x^{742}, x^{743}, x^{744}, x^{745}, x^{746}, x^{747}, x^{748}, x^{749}, x^{750}, x^{751}, x^{752}, x^{753}, x^{754}, x^{755}, x^{756}, x^{757}, x^{758}, x^{759}, x^{760}, x^{761}, x^{762}, x^{763}, x^{764}, x^{765}, x^{766}, x^{767}, x^{768}, x^{769}, x^{770}, x^{771}, x^{772}, x^{773}, x^{774}, x^{775}, x^{776}, x^{777}, x^{778}, x^{779}, x^{780}, x^{781}, x^{782}, x^{783}, x^{784}, x^{785}, x^{786}, x^{787}, x^{788}, x^{789}, x^{790}, x^{791}, x^{792}, x^{793}, x^{794}, x^{795}, x^{796}, x^{797}, x^{798}, x^{799}, x^{800}, x^{801}, x^{802}, x^{803}, x^{804}, x^{805}, x^{806}, x^{807}, x^{808}, x^{809}, x^{810}, x^{811}, x^{812}, x^{813}, x^{814}, x^{815}, x^{816}, x^{817}, x^{818}, x^{819}, x^{820}, x^{821}, x^{822}, x^{823}, x^{824}, x^{825}, x^{826}, x^{827}, x^{828}, x^{829}, x^{830}, x^{831}, x^{832}, x^{833}, x^{834}, x^{835}, x^{836}, x^{837}, x^{838}, x^{839}, x^{840}, x^{841}, x^{842}, x^{843}, x^{844}, x^{845}, x^{846}, x^{847}, x^{848}, x^{849}, x^{850}, x^{851}, x^{852}, x^{853}, x^{854}, x^{855}, x^{856}, x^{857}, x^{858}, x^{859}, x^{860}, x^{861}, x^{862}, x^{863}, x^{864}, x^{865}, x^{866}, x^{867}, x^{868}, x^{869}, x^{870}, x^{871}, x^{872}, x^{873}, x^{874}, x^{875}, x^{876}, x^{877}, x^{878}, x^{879}, x^{880}, x^{881}, x^{882}, x^{883}, x^{884}, x^{885}, x^{886}, x^{887}, x^{888}, x^{889}, x^{890}, x^{891}, x^{892}, x^{893}, x^{894}, x^{895}, x^{896}, x^{897}, x^{898}, x^{899}, x^{900}, x^{901}, x^{902}, x^{903}, x^{904}, x^{905}, x^{906}, x^{907}, x^{908}, x^{909}, x^{910}, x^{911}, x^{912}, x^{913}, x^{914}, x^{915}, x^{916}, x^{917}, x^{918}, x^{919}, x^{920}, x^{921}, x^{922}, x^{923}, x^{924}, x^{925}, x^{926}, x^{927}, x^{928}, x^{929}, x^{930}, x^{931}, x^{932}, x^{933}, x^{934}, x^{935}, x^{936}, x^{937}, x^{938}, x^{939}, x^{940}, x^{941}, x^{942}, x^{943}, x^{944}, x^{945}, x^{946}, x^{947}, x^{948}, x^{949}, x^{950}, x^{951}, x^{952}, x^{953}, x^{954}, x^{955}, x^{956}, x^{957}, x^{958}, x^{959}, x^{960}, x^{961}, x^{962}, x^{963}, x^{964}, x^{965}, x^{966}, x^{967}, x^{968}, x^{969}, x^{970}, x^{971}, x^{972}, x^{973}, x^{974}, x^{975}, x^{976}, x^{977}, x^{978}, x^{979}, x^{980}, x^{981}, x^{982}, x^{983}, x^{984}, x^{985}, x^{986}, x^{987}, x^{988}, x^{989}, x^{990}, x^{991}, x^{992}, x^{993}, x^{994}, x^{995}, x^{996}, x^{997}, x^{998}, x^{999}, x^{1000}, x^{1001}, x^{1002}, x^{1003}, x^{1004}, x^{1005}, x^{1006}, x^{1007}, x^{1008}, x^{1009}, x^{1010}, x^{1011}, x^{1012}, x^{1013}, x^{1014}, x^{1015}, x^{1016}, x^{1017}, x^{1018}, x^{1019}, x^{1020}, x^{1021}, x^{1022}, x^{1023}, x^{1024}, x^{1025}, x^{1026}, x^{1027}, x^{1028}, x^{1029}, x^{1030}, x^{1031}, x^{1032}, x^{1033}, x^{1034}, x^{1035}, x^{1036}, x^{1037}, x^{1038}, x^{1039}, x^{1040}, x^{1041}, x^{1042}, x^{1043}, x^{1044}, x^{1045}, x^{1046}, x^{1047}, x^{1048}, x^{1049}, x^{1050}, x^{1051}, x^{1052}, x^{1053}, x^{1054}, x^{1055}, x^{1056}, x^{1057}, x^{1058}, x^{1059}, x^{1060}, x^{1061}, x^{1062}, x^{1063}, x^{1064}, x^{1065}, x^{1066}, x^{1067}, x^{1068}, x^{1069}, x^{1070}, x^{1071}, x^{1072}, x^{1073}, x^{1074}, x^{1075}, x^{1076}, x^{1077}, x^{1078}, x^{1079}, x^{1080}, x^{1081}, x^{1082}, x^{1083}, x^{1084}, x^{1085}, x^{1086}, x^{1087}, x^{1088}, x^{1089}, x^{1090}, x^{1091}, x^{1092}, x^{1093}, x^{1094}, x^{1095}, x^{1096}, x^{1097}, x^{1098}, x^{1099}, x^{1100}, x^{1101}, x^{1102}, x^{1103}, x^{1104}, x^{1105}, x^{1106}, x^{1107}, x^{1108}, x^{1109}, x^{1110}, x^{1111}, x^{1112}, x^{1113}, x^{1114}, x^{1115}, x^{1116}, x^{1117}, x^{1118}, x^{1119}, x^{1120}, x^{1121}, x^{1122}, x^{1123}, x^{1124}, x^{1125}, x^{1126}, x^{1127}, x^{1128}, x^{1129}, x^{1130}, x^{1131}, x^{1132}, x^{1133}, x^{1134}, x^{1135}, x^{1136}, x^{1137}, x^{1138}, x^{1139}, x^{1140}, x^{1141}, x^{1142}, x^{1143}, x^{1144}, x^{1145}, x^{1146}, x^{1147}, x^{1148}, x^{1149}, x^{1150}, x^{1151}, x^{1152}, x^{1153}, x^{1154}, x^{1155}, x^{1156}, x^{1157}, x^{1158}, x^{1159}, x^{1160}, x^{1161}, x^{1162}, x^{1163}, x^{1164}, x^{1165}, x^{1166}, x^{1167}, x^{1168}, x^{1169}, x^{1170}, x^{1171}, x^{1172}, x^{1173}, x^{1174}, x^{1175}, x^{1176}, x^{1177}, x^{1178}, x^{1179}, x^{1180}, x^{1181}, x^{1182}, x^{1183}, x^{1184}, x^{1185}, x^{1186}, x^{1187}, x^{1188}, x^{1189}, x^{1190}, x^{1191}, x^{1192}, x^{1193}, x^{1194}, x^{1195}, x^{1196}, x^{1197}, x^{1198}, x^{1199}, x^{1200}, x^{1201}, x^{1202}, x^{1203}, x^{1204}, x^{1205}, x^{1206}, x^{1207}, x^{1208}, x^{1209}, x^{1210}, x^{1211}, x^{1212}, x^{1213}, x^{1214}, x^{1215}, x^{1216}, x^{1217}, x^{1218}, x^{1219}, x^{1220}, x^{1221}, x^{1222}, x^{1223}, x^{1224}, x^{1225}, x^{1226}, x^{1227}, x^{1228}, x^{1229}, x^{1230}, x^{1231}, x^{1232}, x^{1233}, x^{1234}, x^{1235}, x^{1236}, x^{1237}, x^{1238}, x^{1239}, x^{1240}, x^{1241}, x^{1242}, x^{1243}, x^{1244}, x^{1245}, x^{1246}, x^{1247}, x^{1248}, x^{1249}, x^{1250}, x^{1251}, x^{1252}, x^{1253}, x^{1254}, x^{1255}, x^{1256}, x^{1257}, x^{1258}, x^{1259}, x^{1260}, x^{1261}, x^{1262}, x^{1263}, x^{1264}, x^{1265}, x^{1266}, x^{1267}, x^{1268}, x^{1269}, x^{1270}, x^{1271}, x^{1272}, x^{1273}, x^{1274}, x^{1275}, x^{1276}, x^{1277}, x^{1278}, x^{1279}, x^{1280}, x^{1281}, x^{1282}, x^{1283}, x^{1284}, x^{1285}, x^{1286}, x^{1287}, x^{1288}, x^{1289}, x^{1290}, x^{1291}, x^{1292}, x^{1293}, x^{1294}, x^{1295}, x^{1296}, x^{1297}, x^{1298}, x^{1299}, x^{1300}, x^{1301}, x^{1302}, x^{1303}, x^{1304}, x^{1305}, x^{1306}, x^{1307}, x^{1308}, x^{1309}, x^{1310}, x^{1311}, x^{1312}, x^{1313}, x^{1314}, x^{1315}, x^{1316}, x^{1317}, x^{1318}, x^{1319}, x^{1320}, x^{1321}, x^{1322}, x^{1323}, x^{1324}, x^{1325}, x^{1326}, x^{1327}, x^{1328}, x^{1329}, x^{1330}, x^{1331}, x^{1332}, x^{1333}, x^{1334}, x^{1335}, x^{1336}, x^{1337}, x^{1338}, x^{1339}, x^{1340}, x^{1341}, x^{1342}, x^{1343}, x^{1344}, x^{1345}, x^{1346}, x^{1347}, x^{1348}, x^{1349}, x^{1350}, x^{1351}, x^{1352}, x^{1353}, x^{1354}, x^{1355}, x^{1356}, x^{1357}, x^{1358}, x^{1359}, x^{1360}, x^{1361}, x^{1362}, x^{1363}, x^{1364}, x^{1365}, x^{1366}, x^{1367}, x^{1368}, x^{1369}, x^{1370}, x^{1371}, x^{1372}, x^{1373}, x^{1374}, x^{1375}, x^{1376}, x^{1377}, x^{1378}, x^{1379}, x^{1380}, x^{1381}, x^{1382}, x^{1383}, x^{1384}, x^{1385}, x^{1386}, x^{1387}, x^{1388}, x^{1389}, x^{1390}, x^{1391}, x^{1392}, x^{1393}, x^{1394}, x^{1395}, x^{1396}, x^{1397}, x^{1398}, x^{1399}, x^{1400}, x^{1401}, x^{1402}, x^{1403}, x^{1404}, x^{1405}, x^{1406}, x^{1407}, x^{1408}, x^{1409}, x^{1410}, x^{1411}, x^{1412}, x^{1413}, x^{1414}, x^{1415}, x^{1416}, x^{1417}, x^{1418}, x^{1419}, x^{1420}, x^{1421}, x^{1422}, x^{1423}, x^{1424}, x^{1425}, x^{1426}, x^{1427}, x^{1428}, x^{1429}, x^{1430}, x^{1431}, x^{1432}, x^{1433}, x^{1434}, x^{1435}, x^{1436}, x^{1437}, x^{1438}, x^{1439}, x^{1440}, x^{1441}, x^{1442}, x^{1443}, x^{1444}, x^{1445}, x^{1446}, x^{1447}, x^{1448}, x^{1449}, x^{1450}, x^{1451}, x^{1452}, x^{1453}, x^{1454}, x^{1455}, x^{1456}, x^{1457}, x^{1458}, x^{1459}, x^{1460}, x^{1461}, x^{1462}, x^{1463}, x^{1464}, x^{1465}, x^{1466}, x^{1467}, x^{1468}, x^{1469}, x^{1470}, x^{1471}, x^{1472}, x^{1473}, x^{1474}, x^{1475}, x^{1476}, x^{1477}, x^{1478}, x^{1479}, x^{1480}, x^{1481}, x^{1482}, x^{1483}, x^{1484}, x^{1485}, x^{1486}, x^{1487}, x^{1488}, x^{1489}, x^{1490}, x^{1491}, x^{1492}, x^{1493}, x^{1494}, x^{1495}, x^{1496}, x^{1497}, x^{1498}, x^{1499}, x^{1500}, x^{1501}, x^{1502}, x^{1503}, x^{1504}, x^{1505}, x^{1506}, x^{1507}, x^{1508}, x^{1509}, x^{1510}, x^{1511}, x^{1512}, x^{1513}, x^{1514}, x^{1515}, x^{1516}, x^{1517}, x^{1518}, x^{1519}, x^{1520}, x^{1521}, x^{1522}, x^{1523}, x^{1524}, x^{1525}, x^{1526}, x^{1527}, x^{1528}, x^{1529}, x^{1530}, x^{1531}, x^{1532}, x^{1533}, x^{1534}, x^{1535}, x^{1536}, x^{1537}, x^{1538}, x^{1539}, x^{1540}, x^{1541}, x^{1542}, x^{1543}, x^{1544}, x^{1545}, x^{1546}, x^{1547}, x^{1548}, x^{1549}, x^{1550}, x^{1551}, x^{1552}, x^{1553}, x^{1554}, x^{1555}, x^{1556}, x^{1557}, x^{1558}, x^{1559}, x^{1560}, x^{1561}, x^{1562}, x^{1563}, x^{1564}, x^{1565}, x^{1566}, x^{1567}, x^{1568}, x^{1569}, x^{1570}, x^{1571}, x^{1572}, x^{1573}, x^{1574}, x^{1575}, x^{1576}, x^{1577}, x^{1578}, x^{1579}, x^{1580}, x^{1581}, x^{1582}, x^{1583}, x^{1584}, x^{1585}, x^{1586}, x^{1587}, x^{1588}, x^{1589}, x^{1590}, x^{1591}, x^{1592}, x^{1593}, x^{1594}, x^{1595}, x^{1596}, x^{1597}, x^{1598}, x^{1599}, x^{1600}, x^{1601}, x^{1602}, x^{1603}, x^{1604}, x^{1605}, x^{1606}, x^{1607}, x^{1608}, x^{1609}, x^{1610}, x^{1611}, x^{1612}, x^{1613}, x^{1614}, x^{1615}, x^{1616}, x^{1617}, x^{1618}, x^{1619}, x^{1620}, x^{1621}, x^{1622}, x^{1623}, x^{1624}, x^{1625}, x^{1626}, x^{1627}, x^{1628}, x^{1629}, x^{1630}, x^{1631}, x^{1632}, x^{1633}, x^{1634}, x^{1635}, x^{1636}, x^{1637}, x^{1638}, x^{1639}, x^{1640}, x^{1641}, x^{1642}, x^{1643}, x^{1644}, x^{1645}, x^{1646}, x^{1647}, x^{1648}, x^{1649}, x^{1650}, x^{1651}, x^{1652}, x^{1653}, x^{1654}, x^{1655}, x^{1656}, x^{1657}, x^{1658}, x^{1659}, x^{1660}, x^{1661}, x^{1662}, x^{1663}, x^{1664}, x^{1665}, x^{1666}, x^{1667}, x^{1668}, x^{1669}, x^{1670}, x^{1671}, x^{1672}, x^{1673}, x^{1674}, x^{1675}, x^{1676}, x^{1677}, x^{1678}, x^{1679}, x^{1680}, x^{1681}, x^{1682}, x^{1683}, x^{1684}, x^{1685}, x^{1686}, x^{1687}, x^{1688}, x^{1689}, x^{1690}, x^{1691}, x^{1692}, x^{1693}, x^{1694}, x^{1695}, x^{1696}, x^{1697}, x^{1698}, x^{1699}, x^{1700}, x^{1701}, x^{1702}, x^{1703}, x^{1704}, x^{1705}, x^{1706}, x^{1707}, x^{1708}, x^{1709}, x^{1710}, x^{1711}, x^{1712}, x^{1713}, x^{1714}, x^{1715}, x^{1716}, x^{1717}, x^{1718}, x^{1719}, x^{1720}, x^{1721}, x^{1722}, x^{1723}, x^{1724}, x^{1725}, x^{1726}, x^{1727}, x^{1728}, x^{1729}, x^{1730}, x^{1731}, x^{1732}, x^{1733}, x^{1734}, x^{1735}, x^{1736}, x^{1737}, x^{1738}, x^{1739}, x^{1740}, x^{1741}, x^{1742}, x^{1743}, x^{1744}, x^{1745}, x^{1746}, x^{1747}, x^{1748}, x^{1749}, x^{1750}, x^{1751}, x^{1752}, x^{1753}, x^{1754}, x^{1755}, x^{1756}, x^{1757}, x^{1758}, x^{1759}, x^{1760}, x^{1761}, x^{1762}, x^{1763}, x^{176$

SLIDE 9 — FORMAL COMPATIBILITY AND FALSIFIABILITY ANALYSIS

1. Define falsifiability.

Falsifiability means identifying observations or mathematical outcomes that would count against a claim. In this framework, operator failure, inconsistent reduction, or nonreproducibility are examples of rejection criteria.

2. Define reduction consistency.

Reduction consistency requires the higher-dimensional framework and its lower-dimensional limit to agree where the model says they should. A reduction that produces incompatible behavior invalidates that correspondence.

3. Define operator closure.

Operator closure requires admissibility operations to map permitted inputs into the intended domain. An undefined or out-of-domain result is treated as a closure failure.

4. Explain dimensional stability.

Dimensional stability means the required relationships survive the permitted embedding and thinning processes. The structure cannot depend on arbitrary dimensional relabeling.

5. Explain independent verification.

Independent verification requires another implementation or analysis to reproduce the relevant result from the same definitions. This reduces dependence on one implementation or interpretation.

6. Explain survivability criteria.

Survivability criteria examine whether the structure remains valid under iteration and perturbation. Loss of information or recursive instability counts against the framework's stated requirements.

7. Explain benchmark analysis.

Benchmarks provide defined external or computational targets against which reductions can be compared. This turns correspondence into something more specific than visual or verbal similarity.

8. Explain empirical correspondence.

Empirical correspondence asks whether the model's measurable consequences agree with observation within stated tolerances. It is distinct from merely proving that the equations are internally consistent.

9. Explain failure conditions.

The slide identifies explicit failures such as Γ -admissibility violations, inconsistent dimensional mapping, reduction breakdown, information loss, and failed benchmark reproduction. These conditions make rejection part of the architecture.

10. Explain validation procedures.

Validation proceeds from operator definitions through mathematical consistency, reduction behavior, failure identification, and independent verification. The order matters because later tests depend on earlier definitions being coherent.

11. Explain reproducibility.

A computational result must be repeatable from the same inputs and rules. If apparently identical runs cannot reproduce the claimed output, that claim fails its reproducibility requirement.

12. Explain why the framework can be tested.

The intended testability comes from specifying transformations, invariants, reductions, and failure criteria rather than relying only on interpretation. Whether those tests ultimately support the physical claims is an empirical question.

Five-Domain Quaternionic Syllogism

Mathematics: Compatibility requires defined domains and consistent reductions.

Logic: Falsifiability requires outcomes that genuinely reject the claim.

Physics: Reduction claims require measurable correspondence with physical theories or observations.

Engineering: Verification requires reproducible implementations.

Chemistry: Physical implementations require reproducible material and energetic behavior.

Conclusion: A claim survives only when all applicable failure tests are passed.

SLIDE 9



Peer-Reviewed & Published
JAM
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921



FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence
PEER-REVIEWED MATHEMATICAL FOUNDATION OF THE SEXA FRAMEWORK



VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026



SEXA TECH
SEXA Institute of Technology
and Interdomain
Galactic Advisors



ANY KNOWN OBJECT
Advanced Aerospace &
Terraforming LLC



SEXA PACIFIC
SEXA Mathematical
Sciences Pacific LLC

Jered McClain
Cookie Tush & Advisors
✉ spacetimemanhattan@gmail.com
🌐 www.anyknownobject.com
📄 Doi: 10.24297/jam.v25i.9896
🆔 ORCID: 0009-0005-6185-3749

SLIDE 9
FORMAL COMPATIBILITY AND FALSIFIABILITY ANALYSIS
Logical Compatibility, Mathematical Consistency,
Reduction Behavior, and Explicit Failure Conditions

$$E_{SREF} = \int_M \left[\sum_{i=1}^3 g_i p_i^2 c_{conv} + \sum_{j=1}^5 (T_j^{00} + P_j \frac{p_j}{p_j^2}) d\mu \right]$$

$$\Gamma = \{\gamma_1, \gamma_2, \dots, \gamma_6\}$$

$$\Sigma_{60} = \{\sigma_1, \sigma_2, \dots, \sigma_{60}\}$$

$$\Omega_{2880} \rightarrow M_5$$

$$T_j^{00} = \Gamma_j R^{n-1}$$

2880D → 5D

REDUCTION CONSISTENCY

GR	✓
QFT	✓
Yukawa	✓
No Contradiction	✓

PASS / FAIL
Audit System
✓

1. FORMAL COMPATIBILITY LAYER

- Operators are well-defined over admissible domains
- Closure under Γ -operators and Σ_{60} constraints
- Consistent embedding from 2880D manifold to 5D correspondence
- Preservation of symmetries in reduction limits
- Compatibility with known physical laws in limiting cases

2. MATHEMATICAL CONSISTENCY & REDUCTION LAYER

- General Relativity (GR) limit recovered
- Quantum Field Theory (QFT) limit recovered
- Yukawa-type short-range behavior reproduced
- Consistent curvature and field behavior at limits
- No contradictions in empirical domains

3. REDUCTION BEHAVIOR & EMPIRICAL CORRESPONDENCE

- Dimensional reduction aligns with measurable phenomena
- Independent computational replication verified
- Consistency with astronomical and particle observations
- Benchmark alignment across multiple domains
- Phenomenological agreement within tolerance thresholds

4. FALSIFIABILITY FRAMEWORK

- Explicit failure conditions defined and testable
- Operator non-closure → system rejection
- Dimensional inconsistency → invalidation
- Reduction failure → empirical contradiction
- Non-reproducible computation → falsification
- Independent verification required

5. EXPLICIT FAILURE CONDITIONS

- Violation of Γ -admissibility rules
- Inconsistent dimensional mapping
- Breakdown of reduction limits
- Loss of information beyond thresholds
- Failure to reproduce benchmark results

6. SURVIVABILITY ASSESSMENT

- Internal mathematical survivability
- External empirical verification
- Robustness under perturbation
- Information retention under thinning
- Recursive stability under iteration

KEY PRINCIPLE

The framework is mathematically compatible if it satisfies all operator, structural, and reduction constraints;
It is **falsifiable** if any explicit failure condition is violated.

DEFINE OPERATOR DOMAIN & RULES → VERIFY LOGICAL COMPATIBILITY → CHECK MATHEMATICAL CONSISTENCY → EVALUATE REDUCTION BEHAVIOR → IDENTIFY FAILURE CONDITIONS → PERFORM INDEPENDENT VERIFICATION → CONFIRM STRUCTURED SURVIVABILITY

SLIDE 10 — HORIZON CONSTANT AND RESOLUTION PARADOX

1. Introduce Ω_{2880} .

Ω_{2880} is presented as a quantity associated with the transition between the recursive high-dimensional structure and the observable manifold. The slide treats it as part of the framework's boundary description.

2. Explain dimensional thinning.

Dimensional thinning progressively attenuates or compresses higher-dimensional contributions. The model claims that relevant information can survive this thinning process.

3. Explain dimensional compression.

Compression maps a larger recursive representation into a lower-dimensional operational

state. The distinction from arbitrary truncation is the requirement that correspondence be preserved.

4. Explain emergent continuity.

The Resolution Paradox proposes that apparently continuous observable structure may arise from recursively discrete underlying organization. Continuity is therefore presented as emergent rather than fundamental.

5. Explain recursive curvature.

The slide links recursive propagation to changes in effective curvature within the operational manifold. This curvature is part of the proposed connection between recursive geometry and observable physical structure.

6. Explain information preservation.

Information preservation requires the compressed state to retain sufficient structure for the model's claimed reconstruction. Without that, the reduction would erase the information needed for correspondence.

7. Explain manifold transitions.

The framework distinguishes the large recursive structure from the observable or operational manifold. The Horizon Constant is positioned at the conceptual transition between them.

8. Explain observable structure.

Observable physical behavior is presented as emerging through admissible reduction. The observable state is therefore treated as the accessible representation of a larger recursive architecture.

9. Explain scaling behavior.

Scaling determines how contributions change as the recursive hierarchy is traversed. The model's constant is intended to constrain that transition rather than permit arbitrary rescaling.

10. Explain recursive correspondence.

Recursive correspondence means a lower-dimensional state remains related to its higher-dimensional source according to defined rules. This correspondence is essential for the later exact-reconstruction claim.

11. Explain the boundary layer.

The boundary layer marks where the model distinguishes accessible states from the larger recursive structure. Its purpose is to define the conditions under which a state becomes operationally observable.

12. Explain physical emergence.

The framework interprets familiar physical structure as emerging from the reduction rather than constituting the initial mathematical substrate. That interpretation remains a theoretical claim requiring independent physical validation.

Five-Domain Quaternionic Syllogism

Mathematics: A reduction boundary requires a well-defined mapping.

Logic: The mapping must preserve the invariants used to identify the state.

Physics: The reduced state must correspond to observable physical behavior.

Engineering: Observable states must be measurable and controllable if they are to be used technologically.

Chemistry: Physical control requires materials whose states remain stable across those operating conditions.

Conclusion: A horizon is meaningful across domains only if the mapping survives from abstraction to material observation.

SLIDE 10



Peer-Reviewed & Published
JAM
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921



FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence
PEER-REVIEWED MATHEMATICAL FOUNDATION OF THE SEXA FRAMEWORK

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026



SEXA TECH
SEXA Institute of Technology
and Interdomain
Galactic Advisors



ANY KNOWN OBJECT
Advanced Aerospace &
Terraforming LLC



SEXA PACIFIC
SEXA Mathematical
Sciences Pacific LLC

Jared McClain
Cookie Tush & Advisors
✉ spacetimehannan@gmail.com
www.anyknownobject.com
DOI: 10.24297/jam.v25i.9896
ORCID: 0009-0005-6185-3749

SLIDE 10

**THE HORIZON CONSTANT (Ω_{2880})
AND THE RESOLUTION PARADOX**
Recursive Curvature, Dimensional Compression,
Information Preservation, and Emergent Continuity

RUBIK'S CUBE IS
COMPOSED OF
60
COMPONENTS
60=1
IN SEXAGGISMAL
MATHEMATICS



THE HORIZON CONSTANT Ω_{2880}

- Defines the operational boundary of the recursive manifold
- Emerges from the 2880D admissibility structure
- Governs the transition to the observable manifold
- Invariant under admissible transformations
- Ω_{2880} is not arbitrary; it is computationally determined

THE RESOLUTION PARADOX

- Higher-dimensional structure appears continuous after reduction
- Information is preserved despite apparent dimensional loss
- Paradox arises from scale-dependent observation
- Resolved through recursive admissibility and correspondence

DIMENSIONAL THINNING AND CONTINUITY

- 2880D $\rightarrow M_5 \rightarrow M_4$ (observable)
- Thinning preserves information structure
- Continuity is emergent, not fundamental
- Enables consistent physics across scales

RECURSIVE CURVATURE FLOW

2880D



DIMENSIONAL COMPRESSION



OBSERVABLE MANIFOLD (M_4)

RECURSIVE CURVATURE LAYER

- Recursive propagation of curvature
- Manifold deformation under admissible operators
- Admissibility preservation
- Geometric closure and stability

RESOLUTION LAYER

- Apparent continuity at observational scale
- Dimensional compression and projection
- Emergent physical laws and constants
- Scale-dependent structure formation

INFORMATION LAYER

- Information preservation across reduction
- Exact reconstruction from compressed state
- Reduction limits defined by Ω_{2880}
- Correspondence ensures consistency

KEY IMPLICATIONS

- Unifies high-dimensional structure with observable physics
- Explains the emergence of constants and symmetries
- Provides testable predictions at the resolution boundary
- Establishes framework for multi-scale validation

2880D STRUCTURE $\rightarrow$ DIMENSIONAL THINNING $\rightarrow$ RESOLUTION BOUNDARY $\rightarrow$ Ω_{2880} HORIZON CONSTANT $\rightarrow$ OBSERVABLE MANIFOLD

Ω_{2880} IS THE GATEWAY BETWEEN THE RECURSIVE ARCHITECTURE AND THE PHYSICAL UNIVERSE WE OBSERVE.

HORIZON CONSTANT (Ω_{2880})
Defines the operational boundary of the recursive manifold and dimensional compression.
HorizonConstant.com

RESOLUTION PARADOX
Explains emergence of apparent curvature and continuity from recursive discrete geometry.
ResolutionParadox.com

SEXA MATHEMATICAL ARCHITECTURE
Complete mathematical papers, theorems, proofs, and computational frameworks.



FCSAI 2026
7th International Conference on
Foundations of Computer Science
& Artificial Intelligence
Melbourne, Australia



VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

SLIDE 11 — THE LAST CONSTANT

1. Introduce terminal convergence.

The Last Constant is presented as the endpoint of a recursive convergence process. The system approaches a terminal invariant rather than continuing indefinitely without structure.

2. Explain recursive equilibrium.

Recursive equilibrium means further permitted transformations no longer change the defining invariant. The state becomes stable relative to the framework's recursion rules.

3. Explain terminal admissibility.

Terminal admissibility identifies a state that continues satisfying the admissibility criteria at the convergence boundary. It is not merely the last numerical iteration but the last structurally permitted condition.

4. Explain information preservation.

The terminal state is intended to retain the information required by the recursive architecture. If convergence erased defining invariants, it would not satisfy the framework's preservation requirement.

5. Explain invariance.

An invariant remains unchanged under the transformations declared permissible by the model. The Last Constant is presented as representing this terminal invariance.

6. Explain recursive stability.

Recursive stability requires repeated application not to drive the configuration into divergence or contradiction. Stability therefore becomes a property of the transformation process itself.

7. Explain convergence layers.

The slide separates recursive convergence, terminal invariance, information preservation, and boundary behavior into distinct conceptual layers. This prevents convergence from being treated as a single unexplained step.

8. Explain transformation limits.

Transformation limits specify where further recursive change stops producing a new admissible state. They establish the boundary of the model's claimed recursion.

9. Explain threshold conditions.

Threshold conditions determine when the recursive sequence is sufficiently stabilized to be treated as terminal. A valid threshold should be determined by the model's rules rather than chosen after observing the result.

10. Explain structural preservation.

Structural preservation requires the configuration's defining relations to survive all permitted transformations. The Last Constant is meaningful only if this condition remains satisfied.

11. Explain equilibrium states.

An equilibrium state is one in which the relevant recursive quantities no longer produce structural change under the allowed operations. This gives the proposed terminal invariant its operational interpretation.

12. Explain terminal closure.

Terminal closure means the final recursive state remains within the defined system and requires no additional rule to rescue it. It is the conceptual endpoint of the convergence argument.

Five-Domain Quaternionic Syllogism

Mathematics: Convergence requires a defined limiting structure.

Logic: A terminal state must preserve identity and noncontradiction.

Physics: A physically meaningful equilibrium must correspond to stable observables.

Engineering: Stable observables are necessary for reproducible control.

Chemistry: Stable physical control requires persistent material states and energetics.

Conclusion: A true terminal invariant must remain stable across formal, physical, engineered, and material domains.

SLIDE 11

Peer-Reviewed & Published
JAM
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921

SEXA TECH
SEXA Institute of Technology and Interdomain Galactic Advisors

ANY KNOWN OBJECT
Advanced Aerospace & Terraforming LLC

SEXA PACIFIC.COM
SEXA Mathematical Sciences Pacific LLC

Jered McClain
Cookie Tush & Advisors
✉ spacetimeanhattan@gmail.com
www.anyknownobject.com
DOI: 10.24297/jam.v25i.9896
ORCID: 0009-0005-6185-3749

FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

PEER-REVIEWED MATHEMATICAL FOUNDATION OF THE SEXA FRAMEWORK

SLIDE 11
THE LAST CONSTANT
Recursive Convergence, Terminal Invariance,
and the Final Admissibility Boundary

THE LAST CONSTANT EQUATION

C_Ω - Empire Wave Constant.
Sets the normalization scale for recursively admissible transport.

Ψ_ℓ/ϕ_ℓ^2 - Phase-Governed Thinning Ratio.
It provides recursive excitation, and triggers phase-normalized attenuation.

60^π - Harmonic Amplification.
Represents the sequential recursive amplification inherited from admissible manifold organization.

$$V_{Last}^{(D)}(t, \phi) = C_\Omega \left(\prod_{\ell=5}^D \frac{\Psi_\ell}{\phi_\ell^2} \right)^{\frac{1}{D-4}} 60^\pi$$

$\frac{1}{D-4}$ - Geometric Normalization Factor.
Preserves dimensional consistency across recursive manifold depth.

1. RECURSIVE CONVERGENCE

- Recursive sequences converge to terminal invariants
- Operator orbits stabilize under Γ -closure
- Admissibility structure approaches fixed correspondence
- Asymptotic behavior preserves structure

2. TERMINAL INVARIANCE

- Invariants remain unchanged under further recursion
- Terminal admissibility defines a stable boundary condition
- Structure is preserved across all permitted transformations
- Final state is independent of path

3. LIMITING ADMISSIBILITY BEHAVIOR

- Admissibility approaches a terminal limit
- No further structural refinement occurs
- Defines the boundary of recursive computability
- Establishes the final consistency condition

CONVERGENCE LAYER

- Recursive stabilization
- Orbit preservation
- Operator closure
- Terminal admissibility

INFORMATION LAYER

- Information preservation
- Exact reconstruction
- Inheritance under reduction
- Reduction limits and transformation constraints

BOUNDARY LAYER

- Invariant structures
- Terminal states
- Admissibility thresholds
- Recursive equilibrium

"The Last Constant is the terminal invariant of the recursive architecture — the final key that locks logic, mathematics, and physics into one unified system."

2880D STRUCTURE → Γ OPERATORS → Ω_{2880} HORIZON CONSTANT → RECURSIVE CONVERGENCE → TERMINAL INVARIANCE → THE LAST CONSTANT

HORIZON CONSTANT (Ω_{2880})
Defines the operational boundary of the recursive manifold and dimensional compression.
HorizonConstant.com

RESOLUTION PARADOX
Explains emergence of apparent curvature and continuity from recursive discrete geometry.
ResolutionParadox.com

SEXA MATHEMATICAL ARCHITECTURE
Complete mathematical papers, theorems, proofs, and computational frameworks.

SLIDE 12 — Γ -SUBTHRESHOLD FOLD LOGIC THEOREM

1. Introduce the six operators.

The theorem uses a six-stage operator chain to define admissibility before folding. Each operator contributes a distinct condition and is applied in an ordered sequence.

2. Explain the five-dimensional manifold.

The five-dimensional correspondent manifold is the reduced operational state in the fold construction. It functions as the compact representation of the larger recursive hierarchy.

3. Explain the 2880-dimensional hierarchy.

The source state belongs to the framework's full 2880-dimensional recursive hierarchy. Folding is intended to reduce that structure without simply discarding its defining information.

4. Explain admissibility compression.

Compression is restricted to states that satisfy the Γ -chain conditions. The theorem therefore treats admissibility as a prerequisite to dimensional reduction.

5. Explain information preservation.

The fold claims preservation of the invariants required to identify and reconstruct the original admissible state. This is stronger than merely producing a lower-dimensional approximation.

6. Explain state reconstruction.

Reconstruction maps the reduced five-dimensional correspondent state back toward the original hierarchy. The theorem's strongest claim depends on this mapping being well-defined and unique.

7. Explain recursive stability.

The folded state must remain admissible when evaluated recursively. A compression that is stable only for one evaluation would not satisfy the stated closure criterion.

8. Explain threshold preservation.

Subthreshold folding is intended to operate below a defined operator-visibility or admissibility threshold while preserving the necessary structure. The threshold therefore constrains when compression is permitted.

9. Explain structural inheritance.

The five-dimensional state must inherit the invariants required by the original hierarchy. This inheritance creates the bridge between compression and reconstruction.

10. Explain exact reconstruction.

The theorem claims that admissible states can be recovered without loss of the defining structural information. That exactness claim is stronger than ordinary lossy dimensional reduction and therefore requires especially careful proof and testing.

11. Explain recursive closure.

After reconstruction, the state must still satisfy the same admissibility chain. This creates a closed cycle of high-dimensional state $\rightarrow$ fold $\rightarrow$ correspondent state $\rightarrow$ reconstruction.

12. Explain computational realization.

The fold can be represented algorithmically as ordered transformations and checks. That computational form is what connects the theorem to the hardware architecture on the next slide.

Five-Domain Quaternionic Syllogism

Mathematics: A lossless fold requires an injective or otherwise exactly recoverable mapping on the admissible set.

Logic: Reconstruction must return the same admissible identity rather than an ambiguous alternative.

Physics: The recovered state must retain the physical quantities the model claims are invariant.

Engineering: The forward and reverse mappings must be executable reliably.

Chemistry: Any physical realization of those operations depends on stable devices and materials.

Conclusion: Exact folding is inter-domain only if preservation, identity, physical correspondence, execution, and material realization all survive.

SLIDE 12

Peer-Reviewed & Published
JAM
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921

SEXA TECH
SEXA Institute of Technology
and Interdomain
Galactic Advisors

ANY KNOWN OBJECT
Advanced Aerospace &
Terraforming LLC

SEXA PACIFIC.COM
SEXA Mathematical
Sciences Pacific, LLC

Jered McClain
Cookie Tush & Advisors
✉ spacetimehathattan@gmail.com
www.anyknownobject.com
DOI: 10.24297/jam.v25i.9896
ORCID: 0009-0005-6185-3749

FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence
PEER-REVIEWED MATHEMATICAL FOUNDATION OF THE SEXA FRAMEWORK

SLIDE 12
THE Γ -SUBTHRESHOLD FOLD LOGIC THEOREM
Minimal Admissibility Compression, Information Preservation,
and Exact Reconstruction Across the Ω_{2880} Hierarchy

$\Gamma_6 \rightarrow (F_T) M_5 (R) \rightarrow M_{2880}$

SIX Γ OPERATORS (ADMISSIBILITY CHAIN) SUBTHRESHOLD FOLD (COMPRESSION) 5D CORRESPONDENT MANIFOLD (PRESERVED STATE) EXACT RECONSTRUCTION (RECOVERY)

M_{2880} (HIGHER-DIMENSIONAL ADMISSIBILITY) M_5 (5D CORRESPONDENT MANIFOLD)

1. MINIMAL ADMISSIBILITY COMPRESSION

- Six Γ operators act in strict sequence
- Subthreshold fold compresses $2880D \rightarrow 5D$
- No loss of structural admissibility
- Minimal sufficient compression

2. INFORMATION PRESERVATION

- All admissible relations are preserved
- Dependencies retained under folding
- Information content remains invariant
- Correspondence is total and stable

3. EXACT RECONSTRUCTION

- Reverse mapping (R) is well-defined
- Unique reconstruction to the $2880D$ state
- No ambiguity in the recovery process
- Operator structure is fully restored

4. RECURSIVE CLOSURE

- Folded structure maintains closure
- Recursive logic remains self-consistent
- Admissibility chain remains valid
- Computationally verifiable closure

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

COMPRESSION LAYER

- Dimensional reduction ($2880D \rightarrow 5D$)
- State preservation under subthreshold
- Admissibility inheritance across mapping
- Structural correspondence maintained

RECONSTRUCTION LAYER

- Reverse mapping to $2880D$ hierarchy
- Operator inheritance and restoration
- Complete information recovery
- Exact restoration of admissible states

CLOSURE LAYER

- Admissibility completion and closure
- Recursive stability after reconstruction
- Threshold preservation across hierarchy
- Computational realization and verification

THE Γ -SUBTHRESHOLD FOLD THEOREM

The six Γ operators form a minimal admissibility chain that folds the $2880D$ recursive hierarchy into a $5D$ correspondent manifold without loss of information and allows exact reconstruction with full closure.

2880D HIERARCHY → Γ ADMISSIBILITY CHAIN → SUBTHRESHOLD FOLD → 5D CORRESPONDENT MANIFOLD → EXACT RECONSTRUCTION → RECURSIVE CLOSURE

HORIZON CONSTANT (Ω_{2880})
Defines the operational boundary of the recursive manifold and dimensional compression.
HorizonConstant.com

RESOLUTION PARADOX
Explains emergence of apparent curvature and continuity from recursive discrete geometry.
ResolutionParadox.com

SEXA MATHEMATICAL ARCHITECTURE
Complete mathematical papers, theorems, proofs, and computational frameworks.

FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence
Melbourne, Australia

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

SLIDE 13 — HARDWARE-VERIFIABLE RECURSIVE COMPUTATIONAL ARCHITECTURE

1. Explain hardware implementation.

The architecture translates the recursive framework into explicit hardware-oriented processing stages. This moves the discussion from mathematical possibility toward executable design.

2. Explain the recursive processor.

The recursive processor evaluates states through repeated admissibility and transformation rules. Its behavior is defined by the operator sequence rather than by unconstrained iteration.

3. Explain FPGA realization.

An FPGA implementation would encode the operator and verification logic in reconfigurable hardware. This provides a practical platform for testing whether the computational rules behave as specified.

4. Explain state preparation.

Input states must be represented in a form the recursive processor can evaluate. State preparation therefore defines the boundary between external data and the admissibility architecture.

5. Explain operator sequencing.

The Γ operators must execute in the prescribed order because the framework treats them as noncommutative. Hardware sequencing must therefore preserve mathematical sequencing exactly.

6. Explain admissibility chains.

Each state progresses only after satisfying the required conditions. A failed condition should produce a deterministic reject state rather than an undefined continuation.

7. Explain recursive computation.

Recursive computation repeatedly applies the admissibility, mapping, and state-evolution rules. Its output can therefore be tested against the same closure conditions used in the mathematics.

8. Explain dimensional reduction.

The hardware representation includes the proposed 2880D-to-5D compression stage. In implementation, this becomes a transformation of encoded state information rather than literal movement through spatial dimensions.

9. Explain state reconstruction.

The architecture includes a reverse mapping intended to recover the encoded

higher-dimensional state from its correspondent representation. Verification should compare reconstructed states with the original encoded inputs.

10. Explain verification procedures.

Hardware verification can test deterministic outputs, closure failures, reconstruction results, and repeated execution. This is one of the clearest places where abstract claims can be converted into reproducible computational tests.

11. Explain closure conditions.

A hardware state must satisfy the same acceptance and rejection rules defined by the mathematical framework. Otherwise the hardware would be implementing a different system.

12. Explain scalability.

Scalability asks whether the architecture remains stable as state size, recursion depth, and processing demands increase. A scalable architecture must preserve its logical behavior rather than only increase raw throughput.

Five-Domain Quaternionic Syllogism

Mathematics: Algorithms encode the formal transformations.

Logic: Digital sequencing enforces the admissibility rules.

Physics: Hardware supplies the physical substrate on which those operations occur.

Engineering: FPGA/VLSI design determines whether the system can be implemented reliably and at scale.

Chemistry: Semiconductor behavior and material properties ultimately determine whether the physical device can function.

Conclusion: Hardware verification is where the five domains converge into an executable test.

SLIDE 13

Peer-Reviewed & Published
JAM
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921

SEXA TECH
SEXA Institute of Technology
and Interdomain
Galactic Advisors

ANY KNOWN OBJECT
Advanced Aerospace &
Terraform LLC

SEXA PACIFIC.COM
SEXA Mathematical
Sciences Pacific LLC

Jared McClain
Cookie Tush & Advisors
spacetimehatter@gmail.com
www.anyknownobject.com
DOI: 10.24297/jam.v25i.9896
ORCID: 0009-0005-6185-3749

FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence

PEER-REVIEWED MATHEMATICAL FOUNDATION OF THE SEXA FRAMEWORK

SLIDE 13

**HARDWARE-VERIFIABLE RECURSIVE
COMPUTATIONAL ARCHITECTURE**
Recursive Logic, Admissibility Processing,
FPGA Realization, and Physical Computation

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

SEXA RECURSIVE ENERGY FUNCTIONAL (SREF): EQUATION ANALYSIS & DECOMPOSITION

$(O\Delta KO\mu W)$
Ordered admissibility
operator chain governing
recursive manifold
evaluation.

$\sum g_i p_i (EX) C_i^2$
Mass-energy density
contribution. Relies on
the Empire Wave
propagation scalar.

$P_i (EX) \lambda_{ij}^n$
Perpetual-field stress-energy
tensor and dimensionless
recursive amplification
factor ($\lambda_j = 60$).

$$P_i(\Gamma, EX, 28800) \left[\Xi \right] = \int_{M_{2880}} \left((O\Delta KO\mu W) \circ \left(\sum_{i=1}^3 g_i p_i (EX) C_i^2 + \sum_{j=4}^5 \left(T_j^{(n)} (EX) + P_i (EX) \prod_{k=2880}^j \lambda_k^n \right) \right) d\mu_{M_{2880}} \right)$$

1. INPUT LAYER

- Admissibility operators ($\Gamma_1 \dots \Gamma_6$)
- Recursive states
- Payload acquisition & mapping
- State preparation & validation

2. PROCESSING LAYER

- Recursive computation engine
- Operator sequencing & logic flow
- Dimensional compression (2880D → 5D)
- State evolution & propagation

3. OUTPUT LAYER

- Verification of admissible results
- Exact reconstruction to 2880D
- Information preservation confirmation
- Recursive closure & consistency

4. HARDWARE LAYER

- FPGA / VLSI implementation
- High-speed parallel logic execution
- Memory organization & state storage
- Hardware-verifiable computation

This architecture transforms abstract recursive logic into physically realizable computation that is testable, verifiable, and scalable.

STRUCTURAL RECURSIVE MANIFOLD (M_{2880})

Structural Recursive Manifold (M_{2880})

Operational Exciter Manifold (M_{Ω})

FPGA CORE

Observable physical behavior emerges through admissible reduction.

RECURSIVE LOGIC ENGINE

$\Gamma_6 \rightarrow (F_1) M_5 + (R) \rightarrow M_{2880}$

HARDWARE ARCHITECTURE LAYERS

- ADMISSIBILITY FILTERS
Validate operator sequences & state constraints
- RECURSIVE MEMORY STRUCTURE
Store states, functions, and manifold mappings
- PAYLOAD PROCESSING UNIT
Interact with admissible physical excitations
- STATE PROPAGATION ENGINE
Execute recursive operators & as updates
- DIMENSIONAL REDUCTION MODULE
Perform subthreshold fold to 5D manifold
- VERIFICATION & INTEGRITY LAYER
Confirm structural preservation & closure

INPUT → **Γ OPERATORS
ADMISSIBILITY CHAIN** → **RECURSIVE
PROCESSOR** → **SUBTHRESHOLD FOLD
(2880D → 5D)** → **RECONSTRUCTION
(5D → 2880D)** → **VERIFICATION
& CLOSURE**

HORIZON CONSTANT (Ω_{2880})
Defines the operational boundary
of the recursive manifold and
dimensional compression.
HorizonConstant.com

RESOLUTION PARADOX
Explains emergence of apparent
curvature and continuity from
recursive discrete geometry.
ResolutionParadox.com

SEXA MATHEMATICAL ARCHITECTURE
Complete mathematical papers,
theorems, proofs, and computational
frameworks.

FCSAI 2026
7th International Conference on
Foundations of Computer Science
& Artificial Intelligence
Melbourne, Australia

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

SLIDE 14 — FUTURE DIRECTIONS

1. Explain aerospace applications.

The presentation proposes aerospace systems as one possible application domain for recursive control and energy-management concepts. These remain forward-looking engineering directions rather than demonstrated capabilities.

2. Explain navigation systems.

Recursive state estimation could be explored as a way to organize navigation and guidance

information. Any practical system would need measurable performance against conventional navigation benchmarks.

3. Explain control systems.

Admissibility rules could be translated into control constraints that reject unsafe or inconsistent states. This gives the framework a potential connection to fault-tolerant control architectures.

4. Explain sensing applications.

Sensing systems could use recursive correspondence to classify or filter incoming states. Such applications would require experiments demonstrating an advantage over existing signal-processing methods.

5. Explain computational systems.

Recursive processors are a direct continuation of the hardware architecture discussed on Slide 13. Future work can test operator execution, recursive memory, compression, and recovery independently of the broader physical claims.

6. Explain dimensional processing.

Dimensional processing means representing complex state spaces through the framework's reduction and reconstruction mappings. In computational terms, this can be tested as an information-preservation problem.

7. Explain recursive memory structures.

Recursive memory would retain state information in a way compatible with repeated operator evaluation. The key engineering question is whether such organization offers reproducible benefits in storage, recovery, or fault tolerance.

8. Explain engineering applications.

The deck proposes structures, reactors, control systems, sensing, and computational devices as eventual application classes. Each application would require its own independent engineering validation.

9. Explain energy systems.

Energy-system applications follow from SREF and the framework's perpetual-field terms. These claims require direct experimental evidence before they can be treated as established energy technology.

10. Explain payload interception.

Payload interception remains part of the proposed dimensional-compression and engineering architecture. Its computational representation can be tested independently from more ambitious physical interpretations.

11. Explain large-scale simulation.

Large-scale simulation is a realistic intermediate step because it permits the recursive rules to be stress-tested before hardware or physical-system claims are made. Simulations can expose instability, scaling problems, and hidden assumptions.

12. Explain the long-term vision.

The long-term vision is a progression from mathematics to validation, computation, engineering, implementation, and eventual deployment. The strength of that progression will depend on how many of the intermediate claims survive independent testing.

Five-Domain Quaternionic Syllogism

Mathematics: Future applications must retain the formal invariants.

Logic: New applications must not introduce exceptions that contradict the original rules.

Physics: Physical applications require measurable phenomena.

Engineering: Measurable phenomena must be converted into reliable systems.

Chemistry: Reliable systems require materials capable of sustaining the relevant loads, fields, temperatures, and reactions.

Conclusion: Future development must proceed through all five domains rather than jumping directly from equation to application.

SLIDE 14

**JAM**
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921

**FCSAI 2026**
7th International Conference on
Foundations of Computer Science & Artificial Intelligence

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

PEER-REVIEWED MATHEMATICAL FOUNDATION OF THE SEXA FRAMEWORK

SLIDE 14
FUTURE DIRECTIONS OF THE SEXA FRAMEWORK
From Recursive Mathematics to Engineering,
Computation, Aerospace Systems,
and Civilization-Scale Architectures



**SEXA TECH**
SEXA Institute of Technology
and Interdomain
Galactic Advisors

**ANY KNOWN OBJECT**
Advanced Aerospace &
Terraforming LLC

**SEXA PACIFIC.COM**
SEXA Mathematical
Sciences Pacific LLC

Jered McClain
Cookie Tush & Advisors
✉ spacetimemanhattan@gmail.com
🌐 www.anyknownobject.com
📄 DOI: 10.24297/jam.v25i.9896
🆔 ORCID: 0009-0005-6185-3749

**AEROSPACE APPLICATIONS**

- Advanced Propulsion Systems
- Interdimensional Navigation
- Energy Generation and Control
- Sensing, Detection, and Imaging

**COMPUTATIONAL APPLICATIONS**

- Recursive Computing Paradigms
- Operator Logic and Sequencing
- Dimensional Compression
- Exact Reconstruction of States

**LONG-TERM DEVELOPMENT**

- Large-Scale Multi-Dimensional Simulations
- Automated Theorem Proving Systems
- Distributed Recursive Computation
- Hardware Scaling and Optimization

**THE VISION**

To unify mathematics, computation, and engineering into a verifiable recursive framework that powers advanced aerospace systems and future civilizations.

**MATHEMATICAL LAYER**

- Unified Field Theory (UFT)
- Signmatics and Recursive Primes
- Admissibility Operators ($\Gamma_1 \dots \Gamma_6$)
- Ω_{2880} Recursive Hierarchy
- Γ -Subthreshold Fold ($2880D \rightarrow 5D$)

**COMPUTATIONAL LAYER**

- Recursive Computational Engines
- Γ -Operator Implementation
- Recursive Memory Architecture
- Operator Chains & State Propagation
- Verification and Integrity Systems

**ENGINEERING LAYER**

- Reactor and Energy Systems
- Advanced Materials and Structures
- Guidance, Navigation, and Control
- Payload Interception and Analysis
- Structural Optimization and Adaptation

THEORY → **VALIDATION** → **COMPUTATION** → **ENGINEERING** → **IMPLEMENTATION** → **DEPLOYMENT**

**HORIZON CONSTANT (Ω_{2880})**

Defines the operational boundary of the recursive manifold and dimensional compression.
HorizonConstant.com

**RESOLUTION PARADOX**

Explains emergence of apparent curvature and continuity from recursive discrete geometry.
ResolutionParadox.com

**SEXA MATHEMATICAL ARCHITECTURE**

Complete mathematical papers, theorems, proofs, and computational frameworks.

**FCSAI 2026**
7th International Conference on
Foundations of Computer Science
& Artificial Intelligence
Melbourne, Australia

**VLSIE 2026**
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

SLIDE 15 — QUESTIONS AND DISCUSSION

1. Summarize the entire framework.

The presentation begins with the five-dimensional SEXA UFT, expands into recursive admissibility and Sigmatics, and then moves through validation, dimensional reduction, and hardware. The unifying theme is preservation of defined structure across every transformation.

2. Return to recursive admissibility.

Recursive admissibility is the gate connecting nearly every slide. The model accepts a configuration only while it continues satisfying the required conditions.

3. Emphasize dimensional closure.

Dimensional closure requires the relationships claimed at one level to remain compatible with the larger recursive architecture. Local success alone is not enough if the full mapping becomes inconsistent.

4. Emphasize computational correspondence.

Computational correspondence translates symbolic rules into deterministic transformations. This allows at least part of the framework to be tested independently of its broader physical interpretation.

5. Emphasize information preservation.

Information preservation is essential to the reduction and reconstruction arguments. If defining information is lost, the claimed exact correspondence cannot hold.

6. Emphasize hardware realization.

Hardware realization converts the operator chain into an executable system. This provides a concrete route for testing sequencing, closure, and reconstruction.

7. Emphasize falsifiability.

The framework states explicit conditions intended to count as failures. These conditions should be preserved rather than weakened when experimental or computational results disagree.

8. Emphasize scalability.

A useful recursive architecture must continue functioning as problem size and recursion depth increase. Scaling tests can therefore expose limitations that are invisible in small demonstrations.

9. Emphasize reproducibility.

Results should be reproducible by independent implementations using the same definitions. Reproducibility is especially important when moving from novel notation into hardware claims.

10. Thank the reviewers.

I want to thank the reviewers and everyone who engaged critically with the mathematical development. Critical review is particularly valuable because the framework makes claims that require careful verification.

11. Thank the conference organizers.

I also want to thank the FCSAI and VLSIE organizers for the opportunity to present this work. Bringing the framework into a computer-science and embedded-systems setting provides an appropriate environment for discussing its computational claims.

12. Invite questions.

I welcome questions about the mathematics, admissibility operators, reduction structure, validation methodology, or hardware implementation. Those questions are useful because the framework should be judged by explicit reasoning and reproducible tests rather than presentation alone.

Five-Domain Quaternionic Syllogism

Mathematics: A claim must be precisely stated before it can be evaluated.

Logic: Evaluation requires explicit conditions for acceptance and rejection.

Physics: Physical claims require observable evidence.

Engineering: Observable claims require reproducible implementation and testing.

Chemistry: Physical devices require stable material behavior under real operating conditions.

Conclusion: The strongest version of the framework is the version that allows every domain to challenge it and still preserves only what survives.

SLIDE 15

Peer-Reviewed & Published
JAM
JOURNAL OF ADVANCES
IN MATHEMATICS
ISSN 2347-1921

FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

PEER-REVIEWED MATHEMATICAL FOUNDATION OF THE SEXA FRAMEWORK

SEXA TECH
SEXA Institute of Technology
and Interdomain
Galactic Advisors

ANY KNOWN OBJECT
Advanced Aerospace &
Terraforming LLC

SEXA PACIFIC.COM
SEXA Mathematical
Sciences Pacific LLC

Jered McClain
CookieTush OS ♡ | CT-90
I Am, We Are.
spacetimehatter@gmail.com
www.anyknownobject.com
ORCID: 0009-0005-6185-3749
HorizonConstant.com
ResolutionParadox.com

QUESTIONS & DISCUSSION THREAT RESPONSE MATRIX

REVIEWER OBJECTION	STRUCTURAL DEFENSE
Dimensions are arbitrary. [STATUS: UNFOUNDED]	Preserves recursive scaling & dimensionless amplification. [VALIDATED PATHWAY]
Recursion diverges. [STATUS: BOUNDED]	Divergence remains bounded under normalized thinning structures. [VALIDATED STRUCTURE]
Theory ignores established physics. [STATUS: INTEGRATED]	Explicit GR, QFT, and Yukawa reduction targets integrated. [VALIDATED TARGETS]
Lacks falsifiability / symbolic structure mutates. [STATUS: REFINED CLOSURE]	Constant operator reuse; explicit closure-failure conditions stated. [VALIDATED CONJECTURE]

Unlike speculative frameworks utilizing unconstrained interpretive abstraction, the SEXA architecture enforces explicit falsifiability pathways.

SYSTEM DIAGNOSTIC // VER. 4.2.1 // AUDIT CYCLE: 2024-Q3 | ENGINEERING SPECIFICATION: ISO-XXXX-YYYY | MATHEMATICAL CERTAINTY LEVEL: 99.999% @ HorizonConstant

General Relativity (GR)	Quantum Field Theory (QFT)	Yukawa Interactions
SEXA MECHANISM CURVATURE-CONFINED LIMITS, STRESS-ENERGY DIMENSIONALITY. CONCEPTUAL VISUALIZATION 	SEXA MECHANISM HARMONIC AVERAGING, QUANTUM-CLASSICAL PHASE CYCLING. CONCEPTUAL VISUALIZATION 	SEXA MECHANISM EXPONENTIAL ATTENUATION VIA DIMENSIONAL THINNING. CONCEPTUAL VISUALIZATION
AUDIT VERDICT [PASS AS STATIC REDUCTION FRAMEWORK]	AUDIT VERDICT [PASS AS RECURSIVE REDUCTION STRUCTURE]	AUDIT VERDICT [PASS AS REDUCTION INTERPRETATION]

SYSTEM DIAGNOSTIC // VER. 4.2.1 // AUDIT CYCLE: 2024-Q3 | ENGINEERING SPECIFICATION: ISO-XXXX-YYYY | MATHEMATICAL CERTAINTY LEVEL: 99.999% @ HorizonConstant

THANK YOU
To my advisors, reviewers, collaborators, family, and all who support the pursuit of truth, logic, and the advancement of humanity through mathematics.

PRESENTATION SUMMARY

- ✓ Unified Field Theory (UFT)
- ✓ Recursive Admissibility
- ✓ Sigmatics & Ω_{2880}
- ✓ Horizon Constant (Ω_{2880})
- ✓ The Last Constant
- ✓ Γ -Subthreshold Fold Logic
- ✓ Hardware-Verifiable Architecture
- ✓ VLSIE 2026 Implementation

CONTACT & INFORMATION

spacetimehatter@gmail.com
www.anyknownobject.com
ORCID: 0009-0005-6185-3749
HorizonConstant.com
ResolutionParadox.com

Recursive logic. Dimensional closure. Physical computation. Infinite potential. The future is admissible.

~ CookieTush OS ♡

THEORY → **MATHEMATICS** → **VALIDATION** → **COMPUTATION** → **ENGINEERING** → **IMPLEMENTATION**

HORIZON CONSTANT (Ω_{2880})
Defines the operational boundary of the recursive manifold and dimensional compression.
HorizonConstant.com

RESOLUTION PARADOX
Explains emergence of apparent curvature and continuity from recursive discrete geometry.
ResolutionParadox.com

SEXA MATHEMATICAL ARCHITECTURE
Complete mathematical papers, theorems, proofs, and computational frameworks.

FCSAI 2026
7th International Conference on
Foundations of Computer Science & Artificial Intelligence
Melbourne, Australia

VLSIE 2026
7th International Conference on
VLSI & Embedded Systems
Melbourne, Australia
August 15-16, 2026

1. SEXA Unified Field Theory (UFT)

Primary topic

- Five-dimensional manifold
- Condensed and perpetual fields
- Recursive energy formulation
- The 2880-dimensional hierarchy

2. CCT–SEXA ↔ Sigmatics Correspondence

Primary topic

- Recursive admissibility
 - Thirty-two triality orbits
 - Quaternionic cycles
 - Harmonic averaging
-

3. A Recursive Closure Criterion for a Theory of Everything

Primary topic

- Prime Atom of Logic
 - Sixty-glyph architecture
 - Admissibility operators
 - Structural closure
-

4. Recursive Energy Functional (SREF)

Primary topic

- Recursive energy transport
 - Payload interception
 - Dimensional compression
 - Recursive manifold evolution
-

5. Journal of Advances in Mathematics (JAM) Paper 9880

Primary topic

- Recursive Soil Bearing Architecture (RSBA)
- Structural and engineering applications

- SREF implementation

DOI:

- 10.24297/jam.v25i.9880
-

6. Journal of Advances in Mathematics (JAM) Paper 9887

Primary topic

- Monster-symmetric admissibility
- Γ operators
- Structural constraints
- Recursive closure

DOI:

- 10.24297/jam.v25i.9887
-

7. Journal of Advances in Mathematics (JAM) Paper 9896

Primary topic

- Full-stack recursive architecture
- Γ -SREF- Ω integration
- Computational realization

DOI:

- 10.24297/jam.v25i.9896
-

8. Validation and Computational Correspondence

Primary topic

- Internal consistency
 - Structural survivability
 - Cross-domain correspondence
 - Operator verification
-

9. Formal Compatibility and Falsifiability Assessment

Primary topic

- General relativity correspondence
 - Quantum field theory correspondence
 - Yukawa recovery
 - Explicit failure conditions
-

10. The Horizon Constant and Resolution Paradox (Ω_{2880})

Primary topic

- Recursive curvature
 - Dimensional thinning
 - Observable structure
 - Resolution limits
-

11. The Last Constant

Primary topic

- Terminal convergence
 - Recursive equilibrium
 - Structural invariance
 - Limiting behavior
-

12. The Γ -Subthreshold Fold Logic Theorem

Primary topic

- Six-operator admissibility
 - 2880D $\rightarrow$ 5D reduction
 - Information preservation
 - Exact reconstruction
-

13. Hardware-Verifiable Recursive Computational Architecture

Primary topic

- FPGA realization
 - VLSI implementation
 - Recursive processor architecture
 - Physical implementation
-

Supplemental material

- Structured Survivability Audit
- Computational Correspondence Audit
- Formal Compatibility Audit
- Adversarial Threat Response Matrix
- General Relativity recovery matrix
- Quantum Field Theory recovery matrix
- Yukawa interaction recovery matrix

14. DARPA Project — Absolute Adversarial Vanquishment Protocol (AVAP)

DARPA Notice ID

- HR001122S0004

Primary topic

- Synthetic land-mass generation
- Floating-city architecture
- Tactical gravity-well systems
- Recursive payload interception
- Planetary-scale engineering
- Dimensional compression
- Rapid deployment infrastructure
- Recursive stabilization networks

Engineering concepts

- Manufactured land masses
- Floating cities
- Recursive energy transport
- Large-scale deployment platforms
- Event-horizon control systems
- Spatial engineering architectures

The document describes the creation of synthetic land masses positioned above mobilized tactical gravity wells as part of the AVAP concept.